

平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所	修正内容																	備考									
			標準単価、機労材構成比	内空寸法(幅×高さ)m	養生工の種類	基礎砕石の有無	均しコンクリートの有無	目地・止水板の有無	圧送管延長距離区分	正誤	標準単価	機労材構成比																	
												K	K1	K2	K3	R	R1	R2	R3		R4	Z	Z1	Z2	Z3	Z4	S		
027	函渠	有り	標準単価、機労材構成比		一般養生・特殊養生(練炭、ジェット)	有り	無し	有り	延長無し	(誤)	51.536	1.53	1.03	-	-	72.45	23.04	15.69	5.40	3.23	26.02	25.72	0.20	-	-	-	労働安全衛生規則の一部改正に伴う改定		
										(正)	51.639	1.52	1.02	-	-	72.51	23.02	15.66	5.38	3.22	25.97	25.67	0.20	-	-	-			
										110m未満	(誤)	52.100	1.58	1.01	-	-	72.67	22.81	16.52	5.34	3.19	25.75	25.45	0.20	-	-		-	
											(正)	52.203	1.59	1.01	-	-	72.71	22.74	16.49	5.33	3.19	25.70	25.40	0.20	-	-		-	
										110m以上220m未満	(誤)	53.226	1.72	0.99	-	-	73.08	22.33	18.12	5.22	3.13	25.20	24.91	0.20	-	-		-	
											(正)	53.330	1.72	0.99	-	-	73.13	22.28	18.09	5.21	3.12	25.15	24.86	0.20	-	-		-	
										220m以上340m以下	(誤)	54.404	1.85	0.97	-	-	73.50	21.84	19.73	5.11	3.06	24.65	24.37	0.19	-	-		-	
											(正)	54.508	1.85	0.97	-	-	73.55	21.81	19.69	5.10	3.05	24.60	24.32	0.19	-	-		-	
										無し	延長無し	(誤)	50.996	1.52	1.04	-	-	72.18	23.30	15.86	5.45	3.26	26.30	26.00	0.21	-		-	-
											(正)	51.099	1.51	1.03	-	-	72.26	23.28	15.83	5.44	3.26	26.23	25.94	0.20	-	-		-	
										110m未満	(誤)	51.559	1.58	1.02	-	-	72.42	23.06	16.69	5.39	3.23	26.00	25.71	0.20	-	-		-	
											(正)	51.662	1.58	1.02	-	-	72.47	23.02	16.66	5.38	3.22	25.95	25.66	0.20	-	-		-	
										110m以上220m未満	(誤)	52.684	1.71	1.00	-	-	72.84	22.55	18.31	5.28	3.16	25.45	25.16	0.20	-	-		-	
											(正)	52.787	1.71	1.00	-	-	72.89	22.51	18.27	5.27	3.15	25.40	25.11	0.20	-	-		-	
										220m以上340m以下	(誤)	53.861	1.84	0.98	-	-	73.27	22.07	19.93	5.16	3.09	24.89	24.61	0.19	-	-		-	
											(正)	53.964	1.84	0.98	-	-	73.31	22.02	19.89	5.15	3.08	24.85	24.57	0.19	-	-		-	
										有り	延長無し	(誤)	48.525	1.49	1.09	-	-	70.89	24.47	16.67	5.73	3.43	27.62	27.32	0.22	-		-	-
											(正)	48.628	1.49	1.09	-	-	70.95	24.44	16.63	5.72	3.42	27.56	27.26	0.22	-	-		-	
										110m未満	(誤)	49.085	1.56	1.08	-	-	71.14	24.21	17.53	5.66	3.39	27.30	27.01	0.21	-	-		-	
											(正)	49.188	1.55	1.07	-	-	71.21	24.17	17.50	5.65	3.38	27.24	26.95	0.21	-	-		-	
										110m以上220m未満	(誤)	50.204	1.68	1.05	-	-	71.63	23.67	19.21	5.54	3.31	26.69	26.41	0.21	-	-		-	
											(正)	50.308	1.68	1.05	-	-	71.69	23.62	19.17	5.53	3.31	26.63	26.35	0.21	-	-		-	
										220m以上340m以下	(誤)	51.375	1.81	1.03	-	-	72.11	23.13	20.89	5.41	3.24	26.08	25.81	0.20	-	-		-	
											(正)	51.479	1.81	1.03	-	-	72.17	23.09	20.85	5.40	3.23	26.02	25.75	0.20	-	-		-	
										無し	延長無し	(誤)	47.984	1.48	1.10	-	-	70.60	24.77	16.85	5.79	3.47	27.92	27.63	0.22	-		-	-
											(正)	48.087	1.48	1.10	-	-	70.66	24.72	16.82	5.78	3.46	27.86	27.57	0.22	-	-		-	
										110m未満	(誤)	48.544	1.55	1.09	-	-	70.85	24.47	17.73	5.73	3.43	27.60	27.31	0.22	-	-		-	
											(正)	48.647	1.55	1.09	-	-	70.91	24.43	17.69	5.72	3.42	27.54	27.25	0.22	-	-		-	
										110m以上220m未満	(誤)	49.662	1.67	1.06	-	-	71.35	23.93	19.42	5.60	3.35	26.98	26.70	0.21	-	-		-	
											(正)	49.765	1.67	1.06	-	-	71.41	23.89	19.38	5.59	3.34	26.92	26.64	0.21	-	-		-	
										220m以上340m以下	(誤)	50.832	1.80	1.04	-	-	71.84	23.38	21.11	5.47	3.27	26.36	26.08	0.21	-	-		-	
											(正)	50.935	1.80	1.04	-	-	71.89	23.32	21.07	5.46	3.27	26.31	26.03	0.21	-	-		-	
										有り	延長無し	(誤)	50.301	1.51	1.05	-	-	71.83	23.61	16.08	5.53	3.31	26.66	26.36	0.21	-		-	-
											(正)	50.404	1.51	1.05	-	-	71.89	23.57	16.04	5.52	3.30	26.60	26.30	0.21	-	-		-	
										110m未満	(誤)	50.863	1.58	1.04	-	-	72.05	23.35	16.92	5.47	3.27	26.37	26.07	0.21	-	-		-	
											(正)	50.966	1.58	1.04	-	-	72.11	23.31	16.89	5.46	3.26	26.31	26.01	0.21	-	-		-	
										110m以上220m未満	(誤)	51.987	1.71	1.02	-	-	72.50	22.86	18.55	5.35	3.20	25.79	25.50	0.20	-	-		-	
											(正)	52.090	1.70	1.01	-	-	72.56	22.82	18.52	5.34	3.19	25.74	25.45	0.20	-	-		-	
										220m以上340m以下	(誤)	53.162	1.83	0.99	-	-	72.95	22.36	20.19	5.23	3.13	25.22	24.94	0.20	-	-		-	
											(正)	53.265	1.83	0.99	-	-	73.00	22.32	20.15	5.22	3.12	25.17	24.89	0.20	-	-		-	
										無し	延長無し	(誤)	49.760	1.50	1.06	-	-	71.56	23.89	16.25	5.59	3.34	26.94	26.64	0.21	-		-	-
											(正)	49.863	1.50	1.06	-	-	71.61	23.82	16.22	5.58	3.34	26.89	26.59	0.21	-	-		-	
										110m未満	(誤)	50.322	1.57	1.05	-	-	71.79	23.60	17.10	5.53	3.31	26.64	26.35	0.21	-	-		-	
											(正)	50.425	1.57	1.05	-	-	71.85	23.57	17.07	5.51	3.30	26.58	26.29	0.21	-	-		-	

平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所							修正内容																	備考				
		標準単価、 機労材構成比	内空寸法(幅 ×高さ)m	養生工の種類	基礎砕石 の有無	均しコンクリ ートの有無	目地・止水 板の有無	圧送管延長 距離区分	正誤	標準 単価	機労材構成比																			
											K	K1	K2	K3	R	R1	R2	R3	R4	Z	Z1	Z2	Z3	Z4	s					
027	函渠		幅:1.0以上2.5 未満かつ高 さ:1.0以上2.5 未満		無し			無し		110m以上 220m未満	(誤)	51.444	1.70	1.03	-	-	72.25	23.11	18.75	5.40	3.23	26.05	25.77	0.20	-	-	-	労働安全衛生規則の 一部改正に伴う改定		
										(正)	51.548	1.69	1.02	-	-	72.31	23.06	18.71	5.39	3.23	26.00	25.72	0.20	-	-	-				
										220m以上 340m以下	(誤)	52.618	1.82	1.00	-	-	72.70	22.58	20.40	5.28	3.16	25.48	25.20	0.20	-	-	-			
										(正)	52.721	1.82	1.00	-	-	72.75	22.53	20.36	5.27	3.16	25.43	25.15	0.20	-	-	-				
										有り	延長無し	(誤)	47.289	1.48	1.12	-	-	70.19	25.11	17.10	5.88	3.52	28.33	28.04	0.22	-	-		-	
											(正)	47.392	1.48	1.12	-	-	70.26	25.07	17.06	5.87	3.51	28.26	27.97	0.22	-	-	-			
											110m未満	(誤)	47.848	1.53	1.10	-	-	70.47	24.83	17.99	5.81	3.48	28.00	27.71	0.22	-	-		-	
											(正)	47.951	1.54	1.10	-	-	70.52	24.77	17.95	5.80	3.47	27.94	27.65	0.22	-	-	-			
											110m以上 220m未満	(誤)	48.965	1.66	1.08	-	-	70.98	24.26	19.70	5.68	3.40	27.36	27.08	0.21	-	-		-	
											(正)	49.068	1.67	1.08	-	-	71.03	24.21	19.66	5.67	3.39	27.30	27.02	0.21	-	-	-			
											220m以上 340m以下	(誤)	50.132	1.78	1.05	-	-	71.51	23.71	21.41	5.55	3.32	26.71	26.44	0.21	-	-		-	
											(正)	50.236	1.78	1.05	-	-	71.56	23.68	21.36	5.53	3.31	26.66	26.39	0.21	-	-	-			
											無し	延長無し	(誤)	46.749	1.47	1.13	-	-	69.89	25.42	17.30	5.95	3.56	28.64	28.36	0.22	-		-	-
												(正)	46.852	1.47	1.13	-	-	69.95	25.36	17.26	5.94	3.55	28.58	28.30	0.22	-	-		-	
												110m未満	(誤)	47.307	1.53	1.12	-	-	70.17	25.12	18.19	5.88	3.52	28.30	28.02	0.22	-		-	-
												(正)	47.410	1.53	1.11	-	-	70.23	25.07	18.15	5.87	3.51	28.24	27.96	0.22	-	-		-	
										110m以上 220m未満		(誤)	48.422	1.65	1.09	-	-	70.69	24.53	19.92	5.74	3.44	27.66	27.38	0.22	-	-		-	
										(正)		48.526	1.66	1.09	-	-	70.74	24.48	19.88	5.73	3.43	27.60	27.32	0.22	-	-	-			
										有り	220m以上 340m以下	(誤)	49.589	1.78	1.07	-	-	71.22	23.97	21.64	5.61	3.35	27.00	26.73	0.21	-	-		-	
											(正)	49.692	1.77	1.06	-	-	71.28	23.92	21.60	5.60	3.35	26.95	26.68	0.21	-	-	-			
											延長無し	(誤)	49.010	2.02	1.08	0.28	0.22	68.46	24.26	15.65	5.67	1.45	29.52	27.05	1.75	0.63	-		-	
											(正)	49.010	2.02	1.08	0.28	0.22	68.46	24.26	15.65	5.67	1.45	29.52	27.05	1.75	0.63	-	-			
											110m未満	(誤)	49.572	2.07	1.07	0.27	0.21	68.76	24.00	16.52	5.61	1.44	29.17	26.74	1.73	0.62	-		-	
											(正)	49.572	2.07	1.07	0.27	0.21	68.76	24.00	16.52	5.61	1.44	29.17	26.74	1.73	0.62	-	-			
											110m以上 220m未満	(誤)	50.694	2.19	1.04	0.27	0.21	69.27	23.46	18.21	5.48	1.40	28.54	26.15	1.70	0.61	-		-	
											(正)	50.694	2.19	1.04	0.27	0.21	69.27	23.46	18.21	5.48	1.40	28.54	26.15	1.70	0.61	-	-			
											220m以上 340m以下	(誤)	51.867	2.30	1.02	0.26	0.20	69.81	22.95	19.89	5.36	1.37	27.89	25.56	1.66	0.59	-		-	
											(正)	51.867	2.30	1.02	0.26	0.20	69.81	22.95	19.89	5.36	1.37	27.89	25.56	1.66	0.59	-	-			
											無し	延長無し	(誤)	48.450	2.01	1.09	0.28	0.22	68.14	24.54	15.83	5.74	1.47	29.85	27.36	1.77	0.64		-	-
												(正)	48.450	2.01	1.09	0.28	0.22	68.14	24.54	15.83	5.74	1.47	29.85	27.36	1.77	0.64	-		-	
										110m未満		(誤)	49.010	2.08	1.08	0.28	0.22	68.41	24.27	16.71	5.67	1.45	29.51	27.05	1.75	0.63	-		-	
										(正)		49.010	2.08	1.08	0.28	0.22	68.41	24.27	16.71	5.67	1.45	29.51	27.05	1.75	0.63	-	-			
										110m以上 220m未満		(誤)	50.131	2.18	1.05	0.27	0.21	68.97	23.73	18.41	5.55	1.42	28.85	26.45	1.71	0.61	-		-	
										(正)		50.131	2.18	1.05	0.27	0.21	68.97	23.73	18.41	5.55	1.42	28.85	26.45	1.71	0.61	-	-			
										有り	220m以上 340m以下	(誤)	51.303	2.30	1.03	0.26	0.21	69.51	23.18	20.11	5.42	1.39	28.19	25.84	1.67	0.60	-		-	
											(正)	51.303	2.30	1.03	0.26	0.21	69.51	23.18	20.11	5.42	1.39	28.19	25.84	1.67	0.60	-	-			
											延長無し	(誤)	45.988	2.01	1.15	0.30	0.23	66.56	25.84	16.68	6.05	1.55	31.43	28.83	1.87	0.67	-		-	
											(正)	45.988	2.01	1.15	0.30	0.23	66.56	25.84	16.68	6.05	1.55	31.43	28.83	1.87	0.67	-	-			
											110m未満	(誤)	46.546	2.07	1.14	0.29	0.23	66.88	25.53	17.60	5.97	1.53	31.05	28.48	1.85	0.66	-		-	
											(正)	46.546	2.07	1.14	0.29	0.23	66.88	25.53	17.60	5.97	1.53	31.05	28.48	1.85	0.66	-	-			
											110m以上 220m未満	(誤)	47.661	2.16	1.11	0.28	0.22	67.51	24.96	19.37	5.83	1.49	30.33	27.82	1.80	0.65	-		-	
											(正)	47.661	2.16	1.11	0.28	0.22	67.51	24.96	19.37	5.83	1.49	30.33	27.82	1.80	0.65	-	-			
										220m以上 340m以下	(誤)	48.827	2.28	1.08	0.28	0.22	68.12	24.36	21.13	5.69	1.46	29.60	27.15	1.76	0.63	-	-			
										(正)	48.827	2.28	1.08	0.28	0.22	68.12	24.36	21.13	5.69	1.46	29.60	27.15	1.76	0.63	-	-				

平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所							修正内容																	備考														
		標準単価、 機労材構成比	内空寸法(幅 ×高さ)m	養生工の種類	基礎碎石 の有無	均しコンクリ ートの有無	目地・止水 板の有無	圧送管延長 距離区分	正誤	標準 単価	機労材構成比																													
											K	K1	K2	K3	R	R1	R2	R3	R4	Z	Z1	Z2	Z3	Z4	S															
027	函渠			特別な養生 (仮囲い内 ジェットヒータ)				無し		延長無し	(誤)	45.428	2.00	1.16	0.30	0.23	66.19	26.17	16.89	6.12	1.57	31.81	29.18	1.89	0.68	-	-	労働安全衛生規則の 一部改正に伴う改定												
											(正)	45.428	2.00	1.16	0.30	0.23	66.19	26.17	16.89	6.12	1.57	31.81	29.18	1.89	0.68	-	-													
										110m未満	(誤)	45.985	2.06	1.15	0.30	0.23	66.51	25.85	17.81	6.05	1.55	31.43	28.83	1.87	0.67	-	-													
											(正)	45.985	2.06	1.15	0.30	0.23	66.51	25.85	17.81	6.05	1.55	31.43	28.83	1.87	0.67	-	-													
										110m以上 220m未満	(誤)	47.098	2.17	1.12	0.29	0.23	67.15	25.25	19.60	5.90	1.51	30.68	28.15	1.82	0.65	-	-													
											(正)	47.098	2.17	1.12	0.29	0.23	67.15	25.25	19.60	5.90	1.51	30.68	28.15	1.82	0.65	-	-													
										220m以上 340m以下	(誤)	48.263	2.27	1.09	0.28	0.22	67.79	24.64	21.38	5.76	1.47	29.94	27.47	1.78	0.64	-	-													
											(正)	48.263	2.27	1.09	0.28	0.22	67.79	24.64	21.38	5.76	1.47	29.94	27.47	1.78	0.64	-	-													
										有り								有り	延長無し	(誤)	47.767	2.01	1.11	0.28	0.22	67.72	24.90		16.06	5.82	1.49	30.27	27.75	1.80	0.64	-	-			
																				(正)	47.767	2.01	1.11	0.28	0.22	67.72	24.90		16.06	5.82	1.49	30.27	27.75	1.80	0.64	-	-			
																			110m未満	(誤)	48.327	2.07	1.09	0.28	0.22	68.00	24.60		16.95	5.75	1.47	29.93	27.43	1.78	0.64	-	-			
																				(正)	48.327	2.07	1.09	0.28	0.22	68.00	24.60		16.95	5.75	1.47	29.93	27.43	1.78	0.64	-	-			
																			110m以上 220m未満	(誤)	49.446	2.18	1.07	0.27	0.21	68.58	24.05		18.67	5.62	1.44	29.24	26.81	1.74	0.62	-	-			
																				(正)	49.446	2.18	1.07	0.27	0.21	68.58	24.05		18.67	5.62	1.44	29.24	26.81	1.74	0.62	-	-			
																			220m以上 340m以下	(誤)	50.617	2.30	1.04	0.27	0.21	69.13	23.49		20.38	5.49	1.41	28.57	26.19	1.70	0.61	-	-			
																				(正)	50.617	2.30	1.04	0.27	0.21	69.13	23.49		20.38	5.49	1.41	28.57	26.19	1.70	0.61	-	-			
																			延長無し	(誤)	47.207	2.02	1.12	0.29	0.23	67.36	25.18		16.25	5.89	1.51	30.62	28.08	1.82	0.65	-	-			
																				(正)	47.207	2.02	1.12	0.29	0.23	67.36	25.18		16.25	5.89	1.51	30.62	28.08	1.82	0.65	-	-			
																			110m未満	(誤)	47.766	2.06	1.11	0.28	0.22	67.67	24.90		17.15	5.82	1.49	30.27	27.76	1.80	0.64	-	-			
																				(正)	47.766	2.06	1.11	0.28	0.22	67.67	24.90		17.15	5.82	1.49	30.27	27.76	1.80	0.64	-	-			
																			110m以上 220m未満	(誤)	48.884	2.18	1.08	0.28	0.22	68.24	24.32		18.88	5.69	1.46	29.58	27.12	1.76	0.63	-	-			
																				(正)	48.884	2.18	1.08	0.28	0.22	68.24	24.32		18.88	5.69	1.46	29.58	27.12	1.76	0.63	-	-			
																			220m以上 340m以下	(誤)	50.053	2.29	1.06	0.27	0.21	68.82	23.76		20.61	5.56	1.42	28.89	26.49	1.72	0.61	-	-			
																				(正)	50.053	2.29	1.06	0.27	0.21	68.82	23.76		20.61	5.56	1.42	28.89	26.49	1.72	0.61	-	-			
				無し																	無し	延長無し	(誤)	44.745	2.00	1.18	0.30		0.24	65.71	26.57	17.14	6.21	1.59	32.29	29.63	1.92	0.69	-	-
																							(正)	44.745	2.00	1.18	0.30		0.24	65.71	26.57	17.14	6.21	1.59	32.29	29.63	1.92	0.69	-	-
																						110m未満	(誤)	45.301	2.05	1.17	0.30		0.23	66.05	26.25	18.08	6.14	1.57	31.90	29.27	1.90	0.68	-	-
																							(正)	45.301	2.05	1.17	0.30		0.23	66.05	26.25	18.08	6.14	1.57	31.90	29.27	1.90	0.68	-	-
																						110m以上 220m未満	(誤)	46.413	2.16	1.14	0.29		0.23	66.72	25.62	19.89	5.99	1.53	31.12	28.56	1.85	0.66	-	-
																							(正)	46.413	2.16	1.14	0.29		0.23	66.72	25.62	19.89	5.99	1.53	31.12	28.56	1.85	0.66	-	-
																						220m以上 340m以下	(誤)	47.576	2.27	1.11	0.29		0.22	67.35	24.97	21.69	5.84	1.50	30.38	27.87	1.81	0.65	-	-
																							(正)	47.576	2.27	1.11	0.29		0.22	67.35	24.97	21.69	5.84	1.50	30.38	27.87	1.81	0.65	-	-
										延長無し	(誤)	44.185	2.00	1.20	0.31	0.24	65.29	26.90				17.36	6.29	1.61	32.71	30.01	1.95		0.70	-	-									
											(正)	44.185	2.00	1.20	0.31	0.24	65.29	26.90				17.36	6.29	1.61	32.71	30.01	1.95		0.70	-	-									
										110m未満	(誤)	44.740	2.05	1.18	0.30	0.24	65.66	26.56				18.31	6.22	1.59	32.29	29.63	1.92		0.69	-	-									
											(正)	44.740	2.05	1.18	0.30	0.24	65.66	26.56				18.31	6.22	1.59	32.29	29.63	1.92		0.69	-	-									
										110m以上 220m未満	(誤)	45.851	2.16	1.15	0.30	0.23	66.34	25.95				20.13	6.06	1.55	31.50	28.91	1.87		0.67	-	-									
											(正)	45.851	2.16	1.15	0.30	0.23	66.34	25.95				20.13	6.06	1.55	31.50	28.91	1.87		0.67	-	-									
										220m以上 340m以下	(誤)	47.012	2.26	1.12	0.29	0.23	67.02	25.30				21.95	5.91	1.51	30.72	28.20	1.83		0.65	-	-									
											(正)	47.012	2.26	1.12	0.29	0.23	67.02	25.30				21.95	5.91	1.51	30.72	28.20	1.83		0.65	-	-									
										延長無し	(誤)	45.834	1.66	1.15	-	-	69.08	21.95				15.58	5.06	3.63	29.26	28.93	0.23		-	-	-									
											(正)	45.947	1.67	1.15	-	-	69.15	21.90				15.54	5.05	3.62	29.18	28.85	0.23		-	-	-									
										110m未満	(誤)	46.397	1.74	1.14	-	-	69.36	21.67				16.51	5.00	3.59	28.90	28.57	0.23		-	-	-									
											(正)	46.509	1.74	1.14	-	-	69.42	21.61				16.47	4.99	3.58	28.84	28.51	0.23		-	-	-									

平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所							修正内容														備考			
		標準単価、 機労材構成比	内空寸法(幅 ×高さ)m	養生工の種類	基礎碎石 の有無	均しコンクリ ートの有無	目地・止水 板の有無	圧送管延長 距離区分	正誤	標準 単価	機労材構成比															
											K	K1	K2	K3	R	R1	R2	R3	R4	Z	Z1	Z2		Z3	Z4	S
027	函渠			一般養生・特 殊養生(練炭、 ジェット)	有り	有り	110m以上 220m未満	(誤)	47,521	1.87	1.11	-	-	69.91	21.17	18.31	4.88	3.50	28.22	27.90	0.22	-	-	-	労働安全衛生規則の 一部改正に伴う改定	
								(正)	47,634	1.88	1.11	-	-	69.97	21.12	18.27	4.87	3.49	28.15	27.83	0.22	-	-	-		
							220m以上 340m以下	(誤)	48,696	2.02	1.09	-	-	70.45	20.65	20.10	4.77	3.42	27.53	27.22	0.22	-	-	-		
								(正)	48,810	2.01	1.08	-	-	70.53	20.63	20.05	4.75	3.41	27.46	27.16	0.21	-	-	-		
							無し	延長無し	(誤)	45,294	1.66	1.17	-	-	68.74	22.21	15.77	5.12	3.67	29.60	29.27	0.23	-	-		-
									(正)	45,407	1.66	1.16	-	-	68.81	22.15	15.73	5.11	3.66	29.53	29.20	0.23	-	-		-
								110m未満	(誤)	45,856	1.73	1.15	-	-	69.04	21.94	16.71	5.06	3.63	29.23	28.91	0.23	-	-		-
									(正)	45,968	1.73	1.15	-	-	69.11	21.88	16.67	5.05	3.62	29.16	28.84	0.23	-	-		-
								110m以上 220m未満	(誤)	46,979	1.87	1.13	-	-	69.60	21.41	18.52	4.94	3.54	28.53	28.22	0.22	-	-		-
									(正)	47,092	1.86	1.12	-	-	69.68	21.37	18.48	4.93	3.53	28.46	28.15	0.22	-	-		-
								220m以上 340m以下	(誤)	48,153	2.00	1.10	-	-	70.16	20.89	20.33	4.82	3.45	27.84	27.53	0.22	-	-		-
									(正)	48,266	2.00	1.09	-	-	70.22	20.83	20.28	4.81	3.45	27.78	27.47	0.22	-	-		-
						無し		延長無し	(誤)	44,214	1.65	1.20	-	-	68.03	22.73	16.15	5.25	3.76	30.32	29.99	0.24	-	-		-
									(正)	44,326	1.64	1.19	-	-	68.12	22.68	16.11	5.24	3.75	30.24	29.91	0.24	-	-		-
								110m未満	(誤)	44,774	1.71	1.18	-	-	68.37	22.46	17.11	5.18	3.72	29.92	29.61	0.23	-	-		-
									(正)	44,886	1.71	1.18	-	-	68.43	22.41	17.07	5.17	3.71	29.86	29.54	0.23	-	-		-
							110m以上 220m未満	(誤)	45,894	1.84	1.15	-	-	68.96	21.91	18.96	5.06	3.63	29.20	28.89	0.23	-	-	-		
								(正)	46,007	1.85	1.15	-	-	69.02	21.86	18.91	5.04	3.62	29.13	28.82	0.23	-	-	-		
							220m以上 340m以下	(誤)	47,065	1.97	1.12	-	-	69.56	21.39	20.80	4.93	3.53	28.47	28.17	0.22	-	-	-		
								(正)	47,178	1.98	1.12	-	-	69.62	21.32	20.75	4.92	3.53	28.40	28.10	0.22	-	-	-		
							無し	延長無し	(誤)	43,673	1.63	1.21	-	-	67.69	23.04	16.35	5.31	3.81	30.68	30.36	0.24	-	-		-
									(正)	43,786	1.64	1.21	-	-	67.76	22.96	16.31	5.30	3.80	30.60	30.28	0.24	-	-		-
								110m未満	(誤)	44,233	1.71	1.20	-	-	68.00	22.73	17.32	5.25	3.76	30.29	29.97	0.24	-	-		-
									(正)	44,345	1.70	1.19	-	-	68.08	22.68	17.28	5.23	3.75	30.22	29.90	0.24	-	-		-
					110m以上 220m未満	(誤)		45,351	1.84	1.17	-	-	68.62	22.17	19.19	5.12	3.67	29.54	29.23	0.23	-	-	-			
						(正)		45,464	1.83	1.16	-	-	68.70	22.13	19.14	5.10	3.66	29.47	29.16	0.23	-	-	-			
					220m以上 340m以下	(誤)	46,521	1.97	1.14	-	-	69.22	21.59	21.04	4.99	3.58	28.81	28.50	0.23	-	-	-				
						(正)	46,634	1.96	1.13	-	-	69.31	21.57	20.99	4.98	3.57	28.73	28.43	0.22	-	-	-				
					有り	有り	延長無し	(誤)	44,664	1.64	1.18	-	-	68.35	22.51	15.99	5.20	3.73	30.01	29.68	0.24	-	-	-		
								(正)	44,776	1.65	1.18	-	-	68.42	22.45	15.95	5.18	3.72	29.93	29.61	0.23	-	-	-		
							110m未満	(誤)	45,224	1.72	1.17	-	-	68.64	22.23	16.94	5.13	3.68	29.64	29.32	0.23	-	-	-		
								(正)	45,337	1.72	1.17	-	-	68.72	22.19	16.90	5.12	3.67	29.56	29.24	0.23	-	-	-		
							110m以上 220m未満	(誤)	46,346	1.85	1.14	-	-	69.22	21.69	18.77	5.01	3.59	28.93	28.61	0.23	-	-	-		
								(正)	46,459	1.86	1.14	-	-	69.28	21.62	18.73	5.00	3.58	28.86	28.54	0.23	-	-	-		
						220m以上 340m以下	(誤)	47,518	1.98	1.11	-	-	69.82	21.17	20.60	4.88	3.50	28.20	27.90	0.22	-	-	-			
							(正)	47,631	1.99	1.11	-	-	69.87	21.13	20.55	4.87	3.49	28.14	27.83	0.22	-	-	-			
						無し	延長無し	(誤)	44,124	1.64	1.20	-	-	67.98	22.78	16.19	5.26	3.77	30.38	30.05	0.24	-	-	-		
								(正)	44,236	1.65	1.20	-	-	68.05	22.71	16.15	5.25	3.76	30.30	29.97	0.24	-	-	-		
							110m未満	(誤)	44,683	1.71	1.18	-	-	68.30	22.50	17.15	5.19	3.72	29.99	29.67	0.24	-	-	-		
								(正)	44,796	1.71	1.18	-	-	68.37	22.45	17.10	5.18	3.71	29.92	29.60	0.23	-	-	-		
					110m以上 220m未満		(誤)	45,803	1.84	1.15	-	-	68.91	21.97	19.00	5.07	3.63	29.25	28.94	0.23	-	-	-			
							(正)	45,916	1.84	1.15	-	-	68.98	21.92	18.95	5.05	3.62	29.18	28.87	0.23	-	-	-			
					220m以上 340m以下	(誤)	46,974	1.98	1.13	-	-	69.50	21.41	20.84	4.94	3.54	28.52	28.22	0.22	-	-	-				
						(正)	47,087	1.97	1.12	-	-	69.57	21.37	20.79	4.93	3.53	28.46	28.16	0.22	-	-	-				

平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所							修正内容																備考																					
		標準単価、 機労材構成比	内空寸法(幅 ×高さ)m	養生工の種類	基礎碎石 の有無	均しコンクリ ートの有無	目地・止水 板の有無	圧送管延長 距離区分	正誤	標準 単価	機労材構成比																																			
											K	K1	K2	K3	R	R1	R2	R3	R4	Z	Z1	Z2	Z3	Z4		S																				
027	函渠		幅:2.5以上4.0 以下かつ高 さ:1.0以上2.5 未満							有り		(誤)	43.043	1.62	1.23	-	-	67.26	23.36	16.59	5.39	3.87	31.12	30.80	0.24	-	-	-																		
																													延長無し	(正)	43.156	1.63	1.23	-	-	67.33	23.28	16.55	5.38	3.86	31.04	30.72	0.24	-	-	-
																														110m未満	(誤)	43.602	1.69	1.21	-	-	67.59	23.07	17.57	5.32	3.82	30.72	30.41	0.24	-	-
																													110m以上 220m未満		(正)	43.714	1.69	1.21	-	-	67.66	22.99	17.53	5.31	3.81	30.65	30.33	0.24	-	-
																														220m以上 340m以下	(誤)	44.719	1.82	1.18	-	-	68.23	22.49	19.46	5.19	3.72	29.95	29.65	0.23	-	-
																													延長無し		(正)	44.832	1.82	1.18	-	-	68.31	22.44	19.41	5.18	3.71	29.87	29.57	0.23	-	-
																														110m未満	(誤)	45.886	1.95	1.15	-	-	68.86	21.92	21.33	5.06	3.63	29.19	28.89	0.23	-	-
																													110m以上 220m未満		(正)	46.000	1.95	1.15	-	-	68.93	21.86	21.28	5.05	3.62	29.12	28.82	0.23	-	-
																														220m以上 340m以下	(誤)	42.503	1.61	1.24	-	-	66.88	23.68	16.80	5.46	3.91	31.51	31.19	0.25	-	-
																													延長無し		(正)	42.615	1.61	1.24	-	-	66.96	23.60	16.76	5.45	3.90	31.43	31.11	0.25	-	-
																														110m未満	(誤)	43.061	1.68	1.23	-	-	67.22	23.36	17.79	5.39	3.86	31.10	30.79	0.24	-	-
																													110m以上 220m未満		(正)	43.173	1.68	1.22	-	-	67.30	23.28	17.75	5.38	3.85	31.02	30.71	0.24	-	-
																														220m以上 340m以下	(誤)	44.176	1.81	1.20	-	-	67.87	22.76	19.70	5.25	3.77	30.32	30.01	0.24	-	-
																													延長無し		(正)	44.289	1.81	1.19	-	-	67.95	22.70	19.65	5.24	3.76	30.24	29.93	0.24	-	-
																														110m未満	(誤)	45.343	1.94	1.17	-	-	68.52	22.17	21.59	5.12	3.67	29.54	29.24	0.23	-	-
																													110m以上 220m未満		(正)	45.456	1.94	1.16	-	-	68.59	22.12	21.53	5.11	3.66	29.47	29.17	0.23	-	-
																														220m以上 340m以下	(誤)	43.364	2.23	1.22	0.31	0.25	64.42	23.21	15.08	5.35	1.64	33.35	30.57	1.98	0.71	-
																													延長無し		(正)	43.364	2.23	1.22	0.31	0.25	64.42	23.21	15.08	5.35	1.64	33.35	30.57	1.98	0.71	-
																														110m未満	(誤)	43.924	2.29	1.20	0.31	0.24	64.78	22.91	16.07	5.28	1.62	32.93	30.18	1.96	0.70	-
																													110m以上 220m未満		(正)	43.924	2.29	1.20	0.31	0.24	64.78	22.91	16.07	5.28	1.62	32.93	30.18	1.96	0.70	-
																														220m以上 340m以下	(誤)	45.044	2.41	1.17	0.30	0.24	65.49	22.37	17.97	5.15	1.58	32.10	29.43	1.91	0.68	-
																													延長無し		(正)	45.044	2.41	1.17	0.30	0.24	65.49	22.37	17.97	5.15	1.58	32.10	29.43	1.91	0.68	-
																														110m未満	(誤)	46.215	2.53	1.14	0.29	0.23	66.17	21.78	19.87	5.02	1.54	31.30	28.69	1.86	0.67	-
																													110m以上 220m未満		(正)	46.215	2.53	1.14	0.29	0.23	66.17	21.78	19.87	5.02	1.54	31.30	28.69	1.86	0.67	-
																														220m以上 340m以下	(誤)	42.819	2.23	1.23	0.32	0.25	64.00	23.50	15.27	5.42	1.66	33.77	30.96	2.01	0.72	-
																													延長無し		(正)	42.819	2.23	1.23	0.32	0.25	64.00	23.50	15.27	5.42	1.66	33.77	30.96	2.01	0.72	-
																														110m未満	(誤)	43.378	2.29	1.22	0.31	0.25	64.38	23.21	16.27	5.35	1.64	33.33	30.56	1.98	0.71	-
																													110m以上 220m未満		(正)	43.378	2.29	1.22	0.31	0.25	64.38	23.21	16.27	5.35	1.64	33.33	30.56	1.98	0.71	-
																														220m以上 340m以下	(誤)	44.497	2.42	1.19	0.31	0.24	65.08	22.60	18.20	5.22	1.60	32.50	29.80	1.93	0.69	-
																													延長無し		(正)	44.497	2.42	1.19	0.31	0.24	65.08	22.60	18.20	5.22	1.60	32.50	29.80	1.93	0.69	-
																														110m未満	(誤)	45.666	2.53	1.16	0.30	0.23	65.81	22.03	20.11	5.08	1.56	31.66	29.03	1.88	0.67	-
																													110m以上 220m未満		(正)	45.666	2.53	1.16	0.30	0.23	65.81	22.03	20.11	5.08	1.56	31.66	29.03	1.88	0.67	-
																														220m以上 340m以下	(誤)	41.750	2.23	1.27	0.33	0.26	63.14	24.08	15.66	5.56	1.71	34.63	31.76	2.06	0.74	-
																													延長無し		(正)	41.750	2.23	1.27	0.33	0.26	63.14	24.08	15.66	5.56	1.71	34.63	31.76	2.06	0.74	-
																														110m未満	(誤)	42.308	2.28	1.25	0.32	0.25	63.55	23.77	16.68	5.49	1.68	34.17	31.34	2.03	0.73	-
																													110m以上 220m未満		(正)	42.308	2.28	1.25	0.32	0.25	63.55	23.77	16.68	5.49	1.68	34.17	31.34	2.03	0.73	-
																														220m以上 340m以下	(誤)	43.423	2.40	1.22	0.31	0.25	64.31	23.17	18.65	5.34	1.64	33.29	30.53	1.98	0.71	-
																													延長無し		(正)	43.423	2.40	1.22	0.31	0.25	64.31	23.17	18.65	5.34	1.64	33.29	30.53	1.98	0.71	-
																														110m未満	(誤)	44.590	2.51	1.19	0.30	0.24	65.07	22.57	20.59	5.20	1.60	32.42	29.73	1.93	0.69	-
																													110m以上 220m未満		(正)	44.590	2.51	1.19	0.30	0.24	65.07	22.57	20.59	5.20	1.60	32.42	29.73	1.93	0.69	-
																														220m以上 340m以下	(誤)	41.205	2.21	1.28	0.33	0.26	62.70	24.40	15.87	5.63	1.73	35.09	32.18	2.09	0.75	-
																													延長無し		(正)	41.205	2.21	1.28	0.33	0.26	62.70	24.40	15.87	5.63	1.73	35.09	32.18	2.09	0.75	-
																														110m未満	(誤)	41.762	2.29	1.27	0.33	0.26	63.10	24.08	16.90	5.56	1.70	34.61	31.75	2.06	0.74	-
																													無し		(正)	41.762	2.29	1.27	0.33	0.26	63.10	24.08	16.90	5.56	1.70	34.61	31.75	2.06	0.74	-

平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所							修正内容															備考			
		標準単価、 機材構成比	内空寸法(幅×高さ)m	養生工の種類	基礎碎石の有無	均しコンクリートの有無	目地・止水板の有無	圧送管延長距離区分	正誤	標準単価	機材構成比																
											K	K1	K2	K3	R	R1	R2	R3	R4	Z	Z1	Z2	Z3		Z4	S	
027	函渠			特別な養生 (仮囲い内 ジェットヒータ)			有り		無し	110m以上 220m未満	(誤)	42.876	2.39	1.23	0.32	0.25	63.90	23.47	18.88	5.41	1.66	33.71	30.92	2.01	0.72	-	-
										(正)	42.876	2.39	1.23	0.32	0.25	63.90	23.47	18.88	5.41	1.66	33.71	30.92	2.01	0.72	-	-	
										220m以上 340m以下	(誤)	44.041	2.50	1.20	0.31	0.24	64.69	22.86	20.85	5.27	1.62	32.81	30.10	1.95	0.70	-	-
										(正)	44.041	2.50	1.20	0.31	0.24	64.69	22.86	20.85	5.27	1.62	32.81	30.10	1.95	0.70	-	-	
										延長無し	(誤)	42.211	2.22	1.25	0.32	0.25	63.52	23.82	15.49	5.50	1.69	34.26	31.41	2.04	0.73	-	-
										(正)	42.211	2.22	1.25	0.32	0.25	63.52	23.82	15.49	5.50	1.69	34.26	31.41	2.04	0.73	-	-	
										110m未満	(誤)	42.769	2.29	1.24	0.32	0.25	63.91	23.52	16.50	5.43	1.66	33.80	31.00	2.01	0.72	-	-
										(正)	42.769	2.29	1.24	0.32	0.25	63.91	23.52	16.50	5.43	1.66	33.80	31.00	2.01	0.72	-	-	
										110m以上 220m未満	(誤)	43.886	2.40	1.20	0.31	0.24	64.66	22.93	18.45	5.29	1.62	32.94	30.21	1.96	0.70	-	-
										(正)	43.886	2.40	1.20	0.31	0.24	64.66	22.93	18.45	5.29	1.62	32.94	30.21	1.96	0.70	-	-	
										220m以上 340m以下	(誤)	45.054	2.52	1.17	0.30	0.24	65.39	22.34	20.38	5.15	1.58	32.09	29.43	1.91	0.68	-	-
										(正)	45.054	2.52	1.17	0.30	0.24	65.39	22.34	20.38	5.15	1.58	32.09	29.43	1.91	0.68	-	-	
				延長無し	(誤)	41.666	2.23	1.27	0.33	0.26	63.08	24.14	15.69	5.57	1.71	34.69	31.82	2.06	0.74	-	-						
				(正)	41.666	2.23	1.27	0.33	0.26	63.08	24.14	15.69	5.57	1.71	34.69	31.82	2.06	0.74	-	-							
				110m未満	(誤)	42.224	2.27	1.25	0.32	0.25	63.49	23.83	16.71	5.50	1.69	34.24	31.40	2.04	0.73	-	-						
				(正)	42.224	2.27	1.25	0.32	0.25	63.49	23.83	16.71	5.50	1.69	34.24	31.40	2.04	0.73	-	-							
				110m以上 220m未満	(誤)	43.339	2.40	1.22	0.31	0.25	64.25	23.22	18.68	5.36	1.64	33.35	30.59	1.98	0.71	-	-						
				(正)	43.339	2.40	1.22	0.31	0.25	64.25	23.22	18.68	5.36	1.64	33.35	30.59	1.98	0.71	-	-							
				220m以上 340m以下	(誤)	44.505	2.52	1.19	0.31	0.24	65.00	22.61	20.63	5.21	1.60	32.48	29.79	1.93	0.69	-	-						
				(正)	44.505	2.52	1.19	0.31	0.24	65.00	22.61	20.63	5.21	1.60	32.48	29.79	1.93	0.69	-	-							
				延長無し	(誤)	40.598	2.21	1.30	0.34	0.26	62.19	24.77	16.10	5.72	1.75	35.60	32.66	2.12	0.76	-	-						
				(正)	40.598	2.21	1.30	0.34	0.26	62.19	24.77	16.10	5.72	1.75	35.60	32.66	2.12	0.76	-	-							
				110m未満	(誤)	41.154	2.27	1.28	0.33	0.26	62.61	24.44	17.15	5.64	1.73	35.12	32.22	2.09	0.75	-	-						
				(正)	41.154	2.27	1.28	0.33	0.26	62.61	24.44	17.15	5.64	1.73	35.12	32.22	2.09	0.75	-	-							
				110m以上 220m未満	(誤)	42.266	2.38	1.25	0.32	0.25	63.43	23.80	19.16	5.49	1.68	34.19	31.37	2.03	0.73	-	-						
				(正)	42.266	2.38	1.25	0.32	0.25	63.43	23.80	19.16	5.49	1.68	34.19	31.37	2.03	0.73	-	-							
				220m以上 340m以下	(誤)	43.429	2.50	1.22	0.31	0.25	64.23	23.16	21.15	5.34	1.64	33.27	30.53	1.98	0.71	-	-						
				(正)	43.429	2.50	1.22	0.31	0.25	64.23	23.16	21.15	5.34	1.64	33.27	30.53	1.98	0.71	-	-							
				延長無し	(誤)	40.053	2.21	1.32	0.34	0.27	61.72	25.12	16.32	5.79	1.78	36.07	33.10	2.15	0.77	-	-						
				(正)	40.053	2.21	1.32	0.34	0.27	61.72	25.12	16.32	5.79	1.78	36.07	33.10	2.15	0.77	-	-							
				110m未満	(誤)	40.608	2.26	1.30	0.33	0.26	62.16	24.77	17.38	5.72	1.75	35.58	32.65	2.12	0.76	-	-						
				(正)	40.608	2.26	1.30	0.33	0.26	62.16	24.77	17.38	5.72	1.75	35.58	32.65	2.12	0.76	-	-							
				110m以上 220m未満	(誤)	41.719	2.39	1.27	0.33	0.26	62.98	24.11	19.41	5.56	1.71	34.63	31.78	2.06	0.74	-	-						
				(正)	41.719	2.39	1.27	0.33	0.26	62.98	24.11	19.41	5.56	1.71	34.63	31.78	2.06	0.74	-	-							
				220m以上 340m以下	(誤)	42.880	2.49	1.23	0.32	0.25	63.82	23.46	21.42	5.41	1.66	33.69	30.92	2.00	0.72	-	-						
				(正)	42.880	2.49	1.23	0.32	0.25	63.82	23.46	21.42	5.41	1.66	33.69	30.92	2.00	0.72	-	-							
				延長無し	(誤)	50.866	1.50	1.04	-	-	72.14	22.91	15.90	5.47	4.21	26.36	26.06	0.21	-	-	-						
				(正)	51.048	1.50	1.03	-	-	-	72.23	22.83	15.84	5.45	4.19	26.27	25.97	0.21	-	-	-						
				110m未満	(誤)	51.428	1.57	1.03	-	-	72.36	22.66	16.73	5.41	4.16	26.07	25.78	0.20	-	-	-						
				(正)	51.610	1.56	1.02	-	-	-	72.46	22.57	16.68	5.39	4.15	25.98	25.69	0.20	-	-	-						
110m以上 220m未満	(誤)	52.552	1.70	1.01	-	-	72.78	22.17	18.35	5.29	4.07	25.52	25.23	0.20	-	-	-										
(正)	52.735	1.69	1.00	-	-	-	72.88	22.10	18.29	5.27	4.06	25.43	25.14	0.20	-	-	-										
220m以上 340m以下	(誤)	53.728	1.82	0.98	-	-	73.23	21.70	19.98	5.17	3.98	24.95	24.68	0.19	-	-	-										
(正)	53.911	1.82	0.98	-	-	-	73.31	21.62	19.91	5.16	3.97	24.87	24.59	0.19	-	-	-										
							有り																				

平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所							修正内容																	備考									
		標準単価、 機材構成比	内空寸法(幅 ×高さ)m	養生工の種類	基礎碎石 の有無	均しコンクリ ートの有無	目地・止水 板の有無	圧送管延長 距離区分	正誤	標準 単価	機材構成比																								
											K	K1	K2	K3	R	R1	R2	R3	R4	Z	Z1	Z2	Z3	Z4	S										
027	函渠			一般養生・特 殊養生(練炭、 ジェット)	有り	無し	無し	延長無し	(誤)	50.320	1.49	1.05	-	-	71.86	23.15	16.07	5.53	4.25	26.65	26.35	0.21	-	-	-	労働安全衛生規則の 一部改正に伴う改定									
									(正)	50.502	1.50	1.05	-	-	71.95	23.06	16.01	5.51	4.24	26.55	26.25	0.21	-	-	-										
									110m未満	(誤)	50.881	1.56	1.04	-	-	72.09	22.92	16.91	5.46	4.20	26.35	26.06	0.21	-	-		-								
										(正)	51.064	1.56	1.03	-	-	72.18	22.82	16.85	5.45	4.19	26.26	25.96	0.21	-	-		-								
									110m以上 220m未満	(誤)	52.005	1.69	1.02	-	-	72.54	22.42	18.55	5.35	4.11	25.77	25.49	0.20	-	-		-								
										(正)	52.187	1.69	1.01	-	-	72.63	22.34	18.48	5.33	4.10	25.68	25.40	0.20	-	-		-								
									220m以上 340m以下	(誤)	53.179	1.81	0.99	-	-	72.98	21.93	20.18	5.23	4.02	25.21	24.93	0.20	-	-		-								
										(正)	53.362	1.82	0.99	-	-	73.06	21.84	20.11	5.21	4.01	25.12	24.84	0.20	-	-		-								
									無し	有り	無し	延長無し	(誤)	49.592	1.49	1.07	-	-	71.49	23.50	16.31	5.61	4.31	27.02	26.73		0.21	-	-	-					
													(正)	49.774	1.49	1.06	-	-	71.58	23.41	16.25	5.59	4.30	26.93	26.64		0.21	-	-	-					
													110m未満	(誤)	50.153	1.55	1.05	-	-	71.73	23.25	17.16	5.54	4.27	26.72		26.43	0.21	-	-	-				
														(正)	50.335	1.55	1.05	-	-	71.82	23.16	17.10	5.52	4.25	26.63		26.34	0.21	-	-	-				
													110m以上 220m未満	(誤)	51.274	1.68	1.03	-	-	72.18	22.74	18.81	5.42	4.17	26.14		25.86	0.20	-	-	-				
														(正)	51.457	1.68	1.03	-	-	72.28	22.65	18.75	5.40	4.16	26.04		25.76	0.20	-	-	-				
													220m以上 340m以下	(誤)	52.447	1.81	1.01	-	-	72.63	22.22	20.46	5.30	4.08	25.56		25.28	0.20	-	-	-				
														(正)	52.630	1.80	1.00	-	-	72.73	22.16	20.39	5.28	4.06	25.47		25.19	0.20	-	-	-				
													無し	無し	無し	延長無し	(誤)	49.046	1.48	1.08	-	-	71.20	23.77	16.49		5.67	4.36	27.32	27.03	0.21	-	-	-	
																	(正)	49.228	1.48	1.07	-	-	71.30	23.67	16.43		5.65	4.35	27.22	26.93	0.21	-	-	-	
																	110m未満	(誤)	49.607	1.55	1.07	-	-	71.43	23.48		17.35	5.61	4.31	27.02	26.73	0.21	-	-	-
																		(正)	49.789	1.55	1.06	-	-	71.53	23.40		17.29	5.58	4.30	26.92	26.63	0.21	-	-	-
					110m以上 220m未満	(誤)	50.727	1.67									1.04	-	-	71.91	22.97	19.02	5.48	4.22	26.42		26.14	0.21	-	-	-				
						(正)	50.909	1.67									1.04	-	-	72.00	22.89	18.95	5.46	4.20	26.33		26.04	0.21	-	-	-				
					220m以上 340m以下	(誤)	51.898	1.80									1.02	-	-	72.38	22.46	20.68	5.36	4.12	25.82		25.55	0.20	-	-	-				
						(正)	52.081	1.79									1.01	-	-	72.48	22.38	20.61	5.34	4.11	25.73		25.46	0.20	-	-	-				
					有り	有り	無し	延長無し									(誤)	49.930	1.49	1.06	-	-	71.67	23.34	16.20		5.57	4.29	26.84	26.55	0.21	-	-	-	
																	(正)	50.112	1.49	1.05	-	-	71.76	23.26	16.14		5.55	4.27	26.75	26.46	0.21	-	-	-	
																	110m未満	(誤)	50.491	1.56	1.05	-	-	71.89	23.06		17.05	5.51	4.24	26.55	26.26	0.21	-	-	-
																		(正)	50.673	1.55	1.04	-	-	72.00	23.01		16.98	5.49	4.22	26.45	26.16	0.21	-	-	-
									110m以上 220m未満	(誤)	51.613	1.68					1.02	-	-	72.35	22.57	18.69	5.39	4.15	25.97		25.69	0.20	-	-	-				
										(正)	51.796	1.68					1.02	-	-	72.44	22.51	18.62	5.37	4.13	25.88		25.60	0.20	-	-	-				
									220m以上 340m以下	(誤)	52.787	1.81					1.00	-	-	72.80	22.08	20.33	5.27	4.05	25.39		25.11	0.20	-	-	-				
										(正)	52.970	1.81					1.00	-	-	72.88	22.00	20.26	5.25	4.04	25.31		25.03	0.20	-	-	-				
									無し	無し	無し	延長無し					(誤)	49.384	1.48	1.07	-	-	71.38	23.60	16.38		5.63	4.33	27.14	26.85	0.21	-	-	-	
																	(正)	49.566	1.49	1.07	-	-	71.47	23.51	16.31		5.61	4.32	27.04	26.75	0.21	-	-	-	
																	110m未満	(誤)	49.945	1.55	1.06	-	-	71.62	23.34		17.23	5.57	4.28	26.83	26.54	0.21	-	-	-
																		(正)	50.127	1.55	1.05	-	-	71.71	23.25		17.17	5.55	4.27	26.74	26.45	0.21	-	-	-
													110m以上 220m未満	(誤)	51.066	1.67	1.03	-	-	72.08	22.82	18.89	5.44	4.19	26.25		25.96	0.21	-	-	-				
														(正)	51.248	1.68	1.03	-	-	72.17	22.75	18.82	5.43	4.17	26.15		25.87	0.20	-	-	-				
													220m以上 340m以下	(誤)	52.238	1.80	1.01	-	-	72.54	22.31	20.55	5.32	4.10	25.66		25.38	0.20	-	-	-				
														(正)	52.421	1.80	1.01	-	-	72.63	22.25	20.47	5.30	4.08	25.57		25.29	0.20	-	-	-				
													有り	有り	無し	延長無し	(誤)	48.657	1.48	1.09	-	-	70.98	23.95	16.62		5.71	4.40	27.54	27.25	0.22	-	-	-	
																	(正)	48.839	1.48	1.08	-	-	71.08	23.86	16.56		5.69	4.38	27.44	27.15	0.21	-	-	-	
													有り	有り	無し	110m未満	(誤)	49.216	1.54	1.07	-	-	71.24	23.68	17.49		5.65	4.35	27.22	26.94	0.21	-	-	-	
																	(正)	49.398	1.54	1.07	-	-	71.33	23.59	17.42		5.63	4.33	27.13	26.84	0.21	-	-	-	



平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所								修正内容																	備考													
		標準単価、 機労材構成比	内空寸法(幅 ×高さ)m	養生工の種類	基礎砕石 の有無	均しコンクリ ートの有無	目地・止水 板の有無	圧送管延長 距離区分	正誤	標準 単価	機労材構成比																													
											K	K1	K2	K3	R	R1	R2	R3	R4	Z	Z1	Z2	Z3	Z4	S															
027	函渠		幅:1.0以上2.5 未満かつ高 さ:2.5以上4.0 以下							無し	110m以上 220m未満	(誤)	50.336	1.66	1.05	-	-	71.72	23.16	19.16	5.52	4.25	26.62	26.34	0.21	-	-	-	労働安全衛生規則の 一部改正に伴う改定											
												(正)	50.518	1.67	1.05	-	-	71.81	23.07	19.09	5.50	4.24	26.52	26.24	0.21	-	-	-												
											220m以上 340m以下	(誤)	51.506	1.79	1.03	-	-	72.20	22.63	20.84	5.40	4.15	26.01	25.74	0.20	-	-	-												
												(正)	51.689	1.79	1.02	-	-	72.29	22.56	20.76	5.38	4.14	25.92	25.65	0.20	-	-	-												
											延長無し	(誤)	48.111	1.47	1.10	-	-	70.68	24.22	16.81	5.78	4.45	27.85	27.56	0.22	-	-	-												
												(正)	48.293	1.47	1.09	-	-	70.79	24.13	16.75	5.76	4.43	27.74	27.45	0.22	-	-	-												
											110m未満	(誤)	48.670	1.54	1.09	-	-	70.93	23.94	17.68	5.71	4.40	27.53	27.24	0.22	-	-	-												
												(正)	48.852	1.53	1.08	-	-	71.05	23.87	17.62	5.69	4.38	27.42	27.14	0.21	-	-	-												
											110m以上 220m未満	(誤)	49.788	1.66	1.06	-	-	71.43	23.41	19.37	5.58	4.30	26.91	26.63	0.21	-	-	-												
												(正)	49.971	1.66	1.06	-	-	71.53	23.33	19.30	5.56	4.28	26.81	26.53	0.21	-	-	-												
											220m以上 340m以下	(誤)	50.957	1.78	1.04	-	-	71.92	22.86	21.06	5.46	4.20	26.30	26.02	0.21	-	-	-												
												(正)	51.140	1.78	1.03	-	-	72.03	22.80	20.99	5.44	4.18	26.19	25.92	0.20	-	-	-												
										有り										有り	延長無し	(誤)	46.151	2.05	1.15	0.29	0.23	66.62		25.27	16.21	5.53	1.54	31.33	28.73	1.86	0.67	-	-	
																						(正)	46.151	2.05	1.15	0.29	0.23	66.62		25.27	16.21	5.53	1.54	31.33	28.73	1.86	0.67	-	-	
																					110m未満	(誤)	46.709	2.10	1.13	0.29	0.23	66.95		24.98	17.13	5.46	1.52	30.95	28.38	1.84	0.66	-	-	
																						(正)	46.709	2.10	1.13	0.29	0.23	66.95		24.98	17.13	5.46	1.52	30.95	28.38	1.84	0.66	-	-	
																					110m以上 220m未満	(誤)	47.827	2.21	1.10	0.28	0.22	67.56		24.40	18.90	5.33	1.49	30.23	27.72	1.80	0.64	-	-	
																						(正)	47.827	2.21	1.10	0.28	0.22	67.56		24.40	18.90	5.33	1.49	30.23	27.72	1.80	0.64	-	-	
																					220m以上 340m以下	(誤)	48.995	2.34	1.08	0.28	0.22	68.15		23.80	20.67	5.21	1.45	29.51	27.06	1.75	0.63	-	-	
																						(正)	48.995	2.34	1.08	0.28	0.22	68.15		23.80	20.67	5.21	1.45	29.51	27.06	1.75	0.63	-	-	
																					無し	延長無し	(誤)	45.605	2.04	1.16	0.30	0.23		66.26	25.56	16.41	5.59	1.56	31.70	29.07	1.88	0.68	-	-
																							(正)	45.605	2.04	1.16	0.30	0.23		66.26	25.56	16.41	5.59	1.56	31.70	29.07	1.88	0.68	-	-
																						110m未満	(誤)	46.163	2.09	1.14	0.29	0.23		66.59	25.27	17.33	5.53	1.54	31.32	28.72	1.86	0.67	-	-
																							(正)	46.163	2.09	1.14	0.29	0.23		66.59	25.27	17.33	5.53	1.54	31.32	28.72	1.86	0.67	-	-
																				110m以上 220m未満		(誤)	47.279	2.21	1.12	0.29	0.22	67.22		24.67	19.12	5.39	1.51	30.57	28.04	1.82	0.65	-	-	
																						(正)	47.279	2.21	1.12	0.29	0.22	67.22		24.67	19.12	5.39	1.51	30.57	28.04	1.82	0.65	-	-	
																				220m以上 340m以下		(誤)	48.446	2.33	1.09	0.28	0.22	67.83		24.06	20.91	5.26	1.47	29.84	27.37	1.77	0.64	-	-	
																						(正)	48.446	2.33	1.09	0.28	0.22	67.83		24.06	20.91	5.26	1.47	29.84	27.37	1.77	0.64	-	-	
																				有り		延長無し	(誤)	44.870	2.04	1.18	0.30	0.24		65.74	25.98	16.68	5.68	1.59	32.22	29.55	1.92	0.69	-	-
																							(正)	44.870	2.04	1.18	0.30	0.24		65.74	25.98	16.68	5.68	1.59	32.22	29.55	1.92	0.69	-	-
																						110m未満	(誤)	45.427	2.09	1.16	0.30	0.23		66.10	25.68	17.61	5.62	1.57	31.81	29.18	1.89	0.68	-	-
																							(正)	45.427	2.09	1.16	0.30	0.23		66.10	25.68	17.61	5.62	1.57	31.81	29.18	1.89	0.68	-	-
																					110m以上 220m未満	(誤)	46.541	2.21	1.14	0.29	0.23	66.73		25.03	19.43	5.48	1.53	31.06	28.49	1.85	0.66	-	-	
																						(正)	46.541	2.21	1.14	0.29	0.23	66.73		25.03	19.43	5.48	1.53	31.06	28.49	1.85	0.66	-	-	
																					220m以上 340m以下	(誤)	47.706	2.31	1.11	0.28	0.22	67.39		24.45	21.23	5.35	1.49	30.30	27.79	1.80	0.65	-	-	
																						(正)	47.706	2.31	1.11	0.28	0.22	67.39		24.45	21.23	5.35	1.49	30.30	27.79	1.80	0.65	-	-	
										無し	延長無し	(誤)	44.324	2.04	1.19	0.31	0.24	65.36	26.30		16.88	5.75	1.61	32.60	29.91	1.94	0.69	-		-										
												(正)	44.324	2.04	1.19	0.31	0.24	65.36	26.30		16.88	5.75	1.61	32.60	29.91	1.94	0.69	-		-										
											110m未満	(誤)	44.880	2.10	1.18	0.30	0.24	65.69	25.97		17.83	5.68	1.59	32.21	29.54	1.92	0.69	-		-										
												(正)	44.880	2.10	1.18	0.30	0.24	65.69	25.97		17.83	5.68	1.59	32.21	29.54	1.92	0.69	-		-										
											110m以上 220m未満	(誤)	45.993	2.21	1.15	0.30	0.23	66.37	25.33	19.66	5.55	1.55	31.42	28.83	1.87	0.67	-	-												
												(正)	45.993	2.21	1.15	0.30	0.23	66.37	25.33	19.66	5.55	1.55	31.42	28.83	1.87	0.67	-	-												
										220m以上 340m以下	(誤)	47.157	2.32	1.12	0.29	0.23	67.05	24.73	21.48	5.41	1.51	30.63	28.11	1.82	0.65	-	-													
											(正)	47.157	2.32	1.12	0.29	0.23	67.05	24.73	21.48	5.41	1.51	30.63	28.11	1.82	0.65	-	-													

特別な養生  
(仮囲い内)



平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所							修正内容																備考		
		標準単価、 機労材構成比	内空寸法(幅 ×高さ)m	養生工の種類 (コンクリート ジェットホー)	基礎碎石 の有無	均しコンクリ ートの有無	目地・止水 板の有無	圧送管延長 距離区分	正誤	標準 単価	機労材構成比																
										K	K1	K2	K3	R	R1	R2	R3	R4	Z	Z1	Z2	Z3	Z4	S			
027	函渠						有り	延長無し	(誤)	45.225	2.05	1.17	0.30	0.24	66.00	25.79	16.54	5.64	1.57	31.95	29.31	1.90	0.68	-	-	労働安全衛生規則の 一部改正に伴う改定	
									(正)	45.225	2.05	1.17	0.30	0.24	66.00	25.79	16.54	5.64	1.57	31.95	29.31	1.90	0.68	-	-		
								110m未満	(誤)	45.783	2.10	1.15	0.30	0.23	66.33	25.48	17.48	5.57	1.55	31.57	28.96	1.88	0.67	-	-		
									(正)	45.783	2.10	1.15	0.30	0.23	66.33	25.48	17.48	5.57	1.55	31.57	28.96	1.88	0.67	-	-		
								110m以上 220m未満	(誤)	46.898	2.22	1.13	0.29	0.23	66.96	24.85	19.28	5.44	1.52	30.82	28.27	1.83	0.66	-	-		
									(正)	46.898	2.22	1.13	0.29	0.23	66.96	24.85	19.28	5.44	1.52	30.82	28.27	1.83	0.66	-	-		
								220m以上 340m以下	(誤)	48.064	2.32	1.10	0.28	0.22	67.61	24.27	21.07	5.31	1.48	30.07	27.58	1.79	0.64	-	-		
									(正)	48.064	2.32	1.10	0.28	0.22	67.61	24.27	21.07	5.31	1.48	30.07	27.58	1.79	0.64	-	-		
								無し	延長無し	(誤)	44.680	2.03	1.18	0.30	0.24	65.63	26.10	16.75	5.71	1.59	32.34	29.67	1.92	0.69	-		-
										(正)	44.680	2.03	1.18	0.30	0.24	65.63	26.10	16.75	5.71	1.59	32.34	29.67	1.92	0.69	-		-
									110m未満	(誤)	45.237	2.10	1.17	0.30	0.24	65.95	25.77	17.69	5.64	1.57	31.95	29.31	1.90	0.68	-		-
										(正)	45.237	2.10	1.17	0.30	0.24	65.95	25.77	17.69	5.64	1.57	31.95	29.31	1.90	0.68	-		-
							110m以上 220m未満		(誤)	46.351	2.20	1.14	0.29	0.23	66.63	25.17	19.51	5.50	1.54	31.17	28.60	1.85	0.66	-	-		
									(正)	46.351	2.20	1.14	0.29	0.23	66.63	25.17	19.51	5.50	1.54	31.17	28.60	1.85	0.66	-	-		
							220m以上 340m以下		(誤)	47.515	2.31	1.11	0.29	0.22	67.27	24.52	21.32	5.37	1.50	30.42	27.90	1.81	0.65	-	-		
									(正)	47.515	2.31	1.11	0.29	0.22	67.27	24.52	21.32	5.37	1.50	30.42	27.90	1.81	0.65	-	-		
							有り		延長無し	(誤)	43.944	2.03	1.20	0.31	0.24	65.09	26.53	17.03	5.80	1.62	32.88	30.17	1.96	0.70	-		-
										(正)	43.944	2.03	1.20	0.31	0.24	65.09	26.53	17.03	5.80	1.62	32.88	30.17	1.96	0.70	-		-
									110m未満	(誤)	44.500	2.10	1.19	0.31	0.24	65.44	26.21	17.98	5.73	1.60	32.46	29.79	1.93	0.69	-		-
										(正)	44.500	2.10	1.19	0.31	0.24	65.44	26.21	17.98	5.73	1.60	32.46	29.79	1.93	0.69	-		-
								110m以上 220m未満	(誤)	45.612	2.20	1.16	0.30	0.23	66.12	25.56	19.82	5.59	1.56	31.68	29.07	1.88	0.68	-	-		
									(正)	45.612	2.20	1.16	0.30	0.23	66.12	25.56	19.82	5.59	1.56	31.68	29.07	1.88	0.68	-	-		
								220m以上 340m以下	(誤)	46.775	2.31	1.13	0.29	0.23	66.80	24.94	21.65	5.45	1.52	30.89	28.34	1.84	0.66	-	-		
									(正)	46.775	2.31	1.13	0.29	0.23	66.80	24.94	21.65	5.45	1.52	30.89	28.34	1.84	0.66	-	-		
								無し	延長無し	(誤)	43.399	2.04	1.22	0.31	0.25	64.67	26.86	17.24	5.88	1.64	33.29	30.55	1.98	0.71	-		-
										(正)	43.399	2.04	1.22	0.31	0.25	64.67	26.86	17.24	5.88	1.64	33.29	30.55	1.98	0.71	-		-
									110m未満	(誤)	43.954	2.09	1.20	0.31	0.24	65.04	26.51	18.21	5.80	1.62	32.87	30.16	1.96	0.70	-		-
										(正)	43.954	2.09	1.20	0.31	0.24	65.04	26.51	18.21	5.80	1.62	32.87	30.16	1.96	0.70	-		-
							110m以上 220m未満		(誤)	45.065	2.20	1.17	0.30	0.24	65.74	25.87	20.06	5.66	1.58	32.06	29.42	1.91	0.68	-	-		
									(正)	45.065	2.20	1.17	0.30	0.24	65.74	25.87	20.06	5.66	1.58	32.06	29.42	1.91	0.68	-	-		
							220m以上 340m以下		(誤)	46.226	2.29	1.14	0.29	0.23	66.46	25.24	21.91	5.52	1.54	31.25	28.68	1.86	0.67	-	-		
									(正)	46.226	2.29	1.14	0.29	0.23	66.46	25.24	21.91	5.52	1.54	31.25	28.68	1.86	0.67	-	-		
							有り		延長無し	(誤)	44.783	1.75	1.18	-	-	68.31	20.42	14.68	5.18	4.25	29.94	29.60	0.23	-	-		-
										(正)	44.911	1.75	1.18	-	-	68.39	20.38	14.64	5.17	4.23	29.86	29.52	0.23	-	-		-
									110m未満	(誤)	45.346	1.83	1.17	-	-	68.59	20.15	15.65	5.12	4.19	29.58	29.24	0.23	-	-		-
										(正)	45.474	1.82	1.16	-	-	68.69	20.12	15.60	5.10	4.18	29.49	29.15	0.23	-	-		-
110m以上 220m未満	(誤)	46.473	1.97	1.14	-	-		69.16	19.67	17.50	4.99	4.09	28.87	28.53	0.23	-	-	-									
	(正)	46.601	1.96	1.13	-	-		69.25	19.63	17.45	4.98	4.08	28.79	28.45	0.23	-	-	-									
220m以上 340m以下	(誤)	47.650	2.11	1.11	-	-		69.75	19.42	19.13	4.87	3.99	28.14	27.82	0.22	-	-	-									
	(正)	47.779	2.11	1.11	-	-		69.82	19.36	19.08	4.86	3.98	28.07	27.75	0.22	-	-	-									
延長無し	(誤)	44.230	1.74	1.20	-	-		67.94	20.66	14.87	5.25	4.30	30.32	29.97	0.24	-	-	-									
	(正)	44.358	1.74	1.19	-	-		68.02	20.61	14.82	5.23	4.29	30.24	29.89	0.24	-	-	-									
110m未満	(誤)	44.793	1.81	1.18	-	-		68.26	20.41	15.84	5.18	4.25	29.93	29.60	0.23	-	-	-									
	(正)	44.920	1.82	1.18	-	-		68.33	20.36	15.79	5.17	4.23	29.85	29.51	0.23	-	-	-									

平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所							修正内容																	備考																																
		標準単価、 機労材構成比	内空寸法(幅 ×高さ)m	養生工の種類	基礎砕石 の有無	均しコンクリ ートの有無	目地・止水 板の有無	圧送管延長 距離区分	正誤	標準 単価	機労材構成比																																															
											K	K1	K2	K3	R	R1	R2	R3	R4	Z	Z1	Z2	Z3	Z4	S																																	
027	函渠			一般養生・特 殊養生(練炭、 ジェット)	有り	無し	無し			110m以上 220m未満	(誤)	45.917	1.95	1.15	-	-	68.85	19.94	17.71	5.05	4.14	29.20	28.87	0.23	-	-	-	労働安全衛生規則の 一部改正に伴う改定																														
										(正)	46.046	1.96	1.15	-	-	68.92	19.85	17.67	5.04	4.13	29.12	28.79	0.23	-	-	-																																
										220m以上 340m以下	(誤)	47.093	2.09	1.12	-	-	69.44	19.65	19.36	4.93	4.04	28.47	28.15	0.22	-	-	-																															
										(正)	47.222	2.10	1.12	-	-	69.50	19.58	19.31	4.91	4.03	28.40	28.08	0.22	-	-	-																																
										無し	有り	無し								延長無し	(誤)	43.273	1.72	1.22	-	-	67.30		21.15	15.19	5.36	4.39	30.98	30.64	0.24	-	-	-																				
																				(正)	43.401	1.73	1.22	-	-	67.38	21.06		15.15	5.35	4.38	30.89	30.55	0.24	-	-	-																					
																				110m未満	(誤)	43.834	1.80	1.21	-	-	67.61		20.84	16.19	5.29	4.34	30.59	30.25	0.24	-	-	-																				
																				(正)	43.962	1.79	1.20	-	-	67.71	20.78		16.14	5.28	4.33	30.50	30.16	0.24	-	-	-																					
																				110m以上 220m未満	(誤)	44.956	1.94	1.18	-	-	68.25		20.35	18.09	5.16	4.23	29.81	29.49	0.23	-	-	-																				
																				(正)	45.084	1.93	1.17	-	-	68.34	20.29		18.04	5.15	4.22	29.73	29.41	0.23	-	-	-																					
																				220m以上 340m以下	(誤)	46.130	2.07	1.15	-	-	68.87		20.04	19.77	5.03	4.12	29.06	28.74	0.23	-	-	-																				
																				(正)	46.258	2.07	1.14	-	-	68.95	20.00		19.71	5.02	4.11	28.98	28.66	0.23	-	-	-																					
																				有り	無し	有り									延長無し	(誤)	42.720	1.71	1.24	-	-	66.92	21.41	15.39	5.43	4.45	31.37	31.03	0.25	-	-	-										
																															(正)	42.848	1.71	1.23	-	-	67.01	21.34	15.35	5.42	4.44	31.28	30.94	0.25	-	-	-											
																															110m未満	(誤)	43.280	1.78	1.22	-	-	67.26	21.15	16.39	5.36	4.39	30.96	30.63	0.24	-	-	-										
																															(正)	43.408	1.79	1.22	-	-	67.34	21.07	16.34	5.35	4.38	30.87	30.54	0.24	-	-	-											
																															110m以上 220m未満	(誤)	44.401	1.92	1.19	-	-	67.89	20.58	18.32	5.23	4.28	30.19	29.86	0.24	-	-	-										
																															(正)	44.529	1.93	1.19	-	-	67.97	20.53	18.27	5.21	4.27	30.10	29.77	0.24	-	-	-											
																															220m以上 340m以下	(誤)	45.573	2.06	1.16	-	-	68.53	20.28	20.01	5.09	4.17	29.41	29.09	0.23	-	-	-										
																															(正)	45.701	2.06	1.16	-	-	68.61	20.23	19.95	5.08	4.16	29.33	29.01	0.23	-	-	-											
																															有り	有り	無し								延長無し	(誤)	43.698	1.73	1.21	-	-	67.59	20.92	15.05	5.31	4.35	30.68	30.34	0.24	-	-	-
																																									(正)	43.826	1.73	1.21	-	-	67.68	20.86	15.00	5.30	4.34	30.59	30.25	0.24	-	-	-	
																																									110m未満	(誤)	44.260	1.80	1.19	-	-	67.91	20.66	16.03	5.24	4.30	30.29	29.95	0.24	-	-	-
																																									(正)	44.388	1.80	1.19	-	-	67.99	20.60	15.98	5.23	4.28	30.21	29.87	0.24	-	-	-	
					110m以上 220m未満	(誤)	45.383	1.94	1.16											-	-	68.52	20.16	17.92	5.11	4.19	29.54		29.21	0.23											-	-	-															
					(正)	45.512	1.94	1.16	-											-	68.60	20.09	17.87	5.10	4.18	29.46	29.13		0.23	-											-	-																
					220m以上 340m以下	(誤)	46.558	2.09	1.14											-	-	69.11	19.85	19.58	4.98	4.08	28.80		28.48	0.23											-	-	-															
					(正)	46.686	2.08	1.13	-											-	69.20	19.82	19.53	4.97	4.07	28.72	28.40		0.22	-											-	-																
					有り	無し	有り								延長無し	(誤)	43.145	1.72	1.23	-	-	67.21	21.18	15.24	5.38	4.41	31.07		30.73	0.24											-	-	-															
															(正)	43.273	1.72	1.22	-	-	67.30	21.15	15.19	5.36	4.39	30.98	30.64		0.24	-											-	-																
															110m未満	(誤)	43.706	1.79	1.21	-	-	67.55	20.94	16.23	5.31	4.35	30.66		30.33	0.24											-	-	-															
															(正)	43.834	1.80	1.21	-	-	67.61	20.84	16.19	5.29	4.34	30.59	30.25		0.24	-											-	-																
															110m以上 220m未満	(誤)	44.828	1.93	1.18	-	-	68.18	20.39	18.15	5.18	4.24	29.89		29.57	0.23	-	-	-																									
															(正)	44.956	1.94	1.18	-	-	68.25	20.35	18.09	5.16	4.23	29.81	29.49		0.23	-	-	-																										
															220m以上 340m以下	(誤)	46.001	2.07	1.15	-	-	68.79	20.11	19.82	5.04	4.13	29.14		28.82	0.23	-	-	-																									
															(正)	46.130	2.07	1.15	-	-	68.87	20.04	19.77	5.03	4.12	29.06	28.74		0.23	-	-	-																										
															有り	有り	無し								延長無し	(誤)	42.188		1.70	1.25	-	-	66.53	21.66	15.59	5.50	4.51	31.77	31.43	0.25	-	-	-															
																									(正)	42.316	1.70		1.25	-	-	66.63	21.61	15.54	5.48	4.49	31.67	31.33	0.25	-	-	-																
																									110m未満	(誤)	42.748		1.78	1.24	-	-	66.87	21.37	16.60	5.43	4.45	31.35	31.01	0.25	-	-	-															
																									(正)	42.876	1.77		1.23	-	-	66.97	21.32	16.55	5.41	4.44	31.26	30.92	0.25	-	-	-																
					110m以上 220m未満	(誤)	43.867	1.91	1.21	-	-	67.55	20.84	18.54											5.29	4.34	30.54		30.22	0.24	-	-	-																									
					(正)	43.995	1.91	1.20	-	-	67.64	20.78	18.49	5.28											4.32	30.45	30.13		0.24	-	-	-																										
					220m以上 340m以下	(誤)	45.037	2.04	1.17	-	-	68.21	20.55	20.24	5.15	4.22	29.75	29.44	0.23	-	-	-																																				
					(正)	45.166	2.05	1.17	-	-	68.29	20.48	20.19	5.14	4.21	29.66	29.35	0.23	-	-	-																																					





平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所							修正内容																	備考	
		標準単価、 機労材構成比	内空寸法(幅 ×高さ)m	養生工の種類	基礎碎石 の有無	均しコンクリ ートの有無	目地・止水 板の有無	圧送管延長 距離区分	正誤	標準 単価	機労材構成比																
											K	K1	K2	K3	R	R1	R2	R3	R4	Z	Z1	Z2	Z3	Z4	S		
027	函渠			一般養生・特 殊養生(練炭、 ジェット)	有	有	有り	延長無し	(誤)	39,186	1.87	1.35	-	-	63.93	19.83	14.85	5.34	4.25	34.20	33.83	0.27	-	-	-	労働安全衛生規則の 一部改正に伴う改定	
									(正)	39,279	1.88	1.35	-	-	64.00	19.79	14.81	5.32	4.24	34.12	33.75	0.27	-	-	-		
								110m未満	(誤)	39,746	1.95	1.33	-	-	64.33	19.55	15.95	5.26	4.19	33.72	33.36	0.26	-	-	-		
									(正)	39,840	1.95	1.33	-	-	64.41	19.51	15.91	5.25	4.18	33.64	33.28	0.26	-	-	-		
								110m以上 220m未満	(誤)	40,867	2.09	1.29	-	-	65.11	19.02	18.05	5.12	4.07	32.80	32.44	0.26	-	-	-		
									(正)	40,961	2.09	1.29	-	-	65.18	18.99	18.01	5.10	4.06	32.73	32.37	0.26	-	-	-		
								220m以上 340m以下	(誤)	42,039	2.24	1.26	-	-	65.88	20.19	18.43	4.97	3.96	31.88	31.54	0.25	-	-	-		
									(正)	42,133	2.23	1.25	-	-	65.95	20.16	18.39	4.96	3.95	31.82	31.47	0.25	-	-	-		
								延長無し	(誤)	38,644	1.86	1.37	-	-	63.47	20.12	15.06	5.41	4.31	34.67	34.31	0.27	-	-	-		
									(正)	38,738	1.86	1.37	-	-	63.54	20.05	15.02	5.40	4.30	34.60	34.23	0.27	-	-	-		
								110m未満	(誤)	39,204	1.93	1.35	-	-	63.89	19.83	16.17	5.33	4.24	34.18	33.82	0.27	-	-	-		
									(正)	39,297	1.94	1.35	-	-	63.96	19.78	16.13	5.32	4.23	34.10	33.74	0.27	-	-	-		
								110m以上 220m未満	(誤)	40,323	2.07	1.31	-	-	64.70	19.28	18.30	5.19	4.13	33.23	32.88	0.26	-	-	-		
									(正)	40,417	2.08	1.31	-	-	64.77	19.24	18.26	5.17	4.12	33.15	32.80	0.26	-	-	-		
								220m以上 340m以下	(誤)	41,493	2.21	1.27	-	-	65.50	20.47	18.68	5.04	4.01	32.29	31.95	0.25	-	-	-		
									(正)	41,587	2.22	1.27	-	-	65.56	20.40	18.64	5.03	4.00	32.22	31.88	0.25	-	-	-		
								延長無し	(誤)	39,522	1.88	1.34	-	-	64.19	19.65	14.72	5.29	4.21	33.93	33.55	0.27	-	-	-		
									(正)	39,616	1.89	1.34	-	-	64.26	19.61	14.69	5.28	4.20	33.85	33.47	0.27	-	-	-		
								110m未満	(誤)	40,083	1.96	1.32	-	-	64.60	19.39	15.81	5.22	4.15	33.44	33.08	0.26	-	-	-		
									(正)	40,177	1.96	1.32	-	-	64.68	19.35	15.78	5.20	4.14	33.36	33.00	0.26	-	-	-		
								110m以上 220m未満	(誤)	41,205	2.10	1.28	-	-	65.36	18.86	17.91	5.07	4.04	32.54	32.18	0.26	-	-	-		
									(正)	41,299	2.10	1.28	-	-	65.45	18.83	17.87	5.06	4.03	32.45	32.10	0.25	-	-	-		
								220m以上 340m以下	(誤)	42,378	2.25	1.25	-	-	66.12	20.02	18.29	4.93	3.93	31.63	31.28	0.25	-	-	-		
									(正)	42,472	2.24	1.24	-	-	66.19	20.00	18.25	4.92	3.92	31.57	31.22	0.25	-	-	-		
								延長無し	(誤)	38,981	1.87	1.36	-	-	63.75	19.95	14.93	5.36	4.27	34.38	34.01	0.27	-	-	-		
									(正)	39,074	1.86	1.35	-	-	63.84	19.91	14.89	5.35	4.26	34.30	33.93	0.27	-	-	-		
								110m未満	(誤)	39,541	1.94	1.34	-	-	64.16	19.65	16.03	5.29	4.21	33.90	33.53	0.27	-	-	-		
									(正)	39,634	1.94	1.33	-	-	64.24	19.62	15.99	5.28	4.20	33.82	33.45	0.27	-	-	-		
								110m以上 220m未満	(誤)	40,661	2.09	1.30	-	-	64.95	19.12	18.15	5.14	4.09	32.96	32.61	0.26	-	-	-		
									(正)	40,755	2.09	1.30	-	-	65.02	19.08	18.10	5.13	4.08	32.89	32.53	0.26	-	-	-		
								220m以上 340m以下	(誤)	41,832	2.22	1.26	-	-	65.75	20.31	18.53	5.00	3.98	32.03	31.69	0.25	-	-	-		
									(正)	41,926	2.23	1.26	-	-	65.81	20.26	18.48	4.99	3.97	31.96	31.62	0.25	-	-	-		
								延長無し	(誤)	38,233	1.84	1.38	-	-	63.11	20.33	15.22	5.47	4.35	35.05	34.68	0.28	-	-	-		
									(正)	38,327	1.85	1.38	-	-	63.20	20.30	15.18	5.46	4.34	34.95	34.59	0.27	-	-	-		
								110m未満	(誤)	38,792	1.92	1.36	-	-	63.54	20.03	16.34	5.39	4.29	34.54	34.18	0.27	-	-	-		
									(正)	38,886	1.92	1.36	-	-	63.63	20.00	16.30	5.38	4.28	34.45	34.09	0.27	-	-	-		
								110m以上 220m未満	(誤)	39,910	2.07	1.33	-	-	64.36	19.46	18.49	5.24	4.17	33.57	33.22	0.26	-	-	-		
									(正)	40,004	2.06	1.32	-	-	64.45	19.44	18.44	5.23	4.16	33.49	33.14	0.26	-	-	-		
								220m以上 340m以下	(誤)	41,079	2.21	1.29	-	-	65.18	20.67	18.87	5.09	4.05	32.61	32.27	0.26	-	-	-		
									(正)	41,173	2.20	1.28	-	-	65.26	20.63	18.82	5.08	4.04	32.54	32.20	0.26	-	-	-		
								延長無し	(誤)	37,692	1.83	1.40	-	-	62.63	20.61	15.44	5.55	4.42	35.54	35.18	0.28	-	-	-		
									(正)	37,785	1.83	1.40	-	-	62.72	20.59	15.40	5.53	4.40	35.45	35.09	0.28	-	-	-		
								110m未満	(誤)	38,250	1.90	1.38	-	-	63.08	20.33	16.57	5.47	4.35	35.02	34.66	0.28	-	-	-		
									(正)	38,343	1.91	1.38	-	-	63.16	20.29	16.53	5.45	4.34	34.93	34.58	0.27	-	-	-		







平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所							修正内容															備考		
		標準単価、 機労材構成比	内空寸法(幅 ×高さ)m	養生工の種類	基礎碎石 の有無	均しコンクリ ートの有無	目地・止水 板の有無	圧送管延長 距離区分	正誤	標準 単価	機労材構成比															
											K	K1	K2	K3	R	R1	R2	R3	R4	Z	Z1	Z2	Z3		Z4	S
027	函渠		幅:5.5以上7.0 以下かつ高	一般養生・特 殊養生(練炭、 ジェット)	無し	無し	無し	110m以上 220m未満	(誤)	40.650	2.16	1.30	-	-	64.86	17.75	17.38	5.26	4.58	32.98	32.61	0.26	-	-	-	労働安全衛生規則の 一部改正に伴う改定
									(正)	40.777	2.16	1.30	-	-	64.96	17.69	17.33	5.25	4.56	32.88	32.51	0.26	-	-	-	
								220m以上 340m以下	(誤)	41.824	2.30	1.26	-	-	65.65	19.86	16.89	5.12	4.45	32.05	31.70	0.25	-	-	-	
									(正)	41.952	2.31	1.26	-	-	65.73	19.78	16.84	5.10	4.44	31.96	31.60	0.25	-	-	-	
								延長無し	(誤)	38.406	1.92	1.38	-	-	63.19	18.47	14.66	5.57	4.85	34.89	34.52	0.27	-	-	-	
									(正)	38.532	1.92	1.37	-	-	63.29	18.40	14.61	5.55	4.83	34.79	34.41	0.27	-	-	-	
								110m未満	(誤)	38.967	2.00	1.36	-	-	63.61	18.20	15.78	5.49	4.78	34.39	34.02	0.27	-	-	-	
									(正)	39.093	1.99	1.35	-	-	63.73	18.16	15.73	5.47	4.76	34.28	33.91	0.27	-	-	-	
								110m以上 220m未満	(誤)	40.088	2.14	1.32	-	-	64.43	17.99	17.63	5.34	4.64	33.43	33.07	0.26	-	-	-	
									(正)	40.215	2.15	1.32	-	-	64.52	17.93	17.57	5.32	4.63	33.33	32.97	0.26	-	-	-	
								220m以上 340m以下	(誤)	41.260	2.28	1.28	-	-	65.24	20.12	17.13	5.19	4.51	32.48	32.13	0.25	-	-	-	
									(正)	41.387	2.29	1.28	-	-	65.33	20.07	17.07	5.17	4.50	32.38	32.03	0.25	-	-	-	
								延長無し	(誤)	39.200	1.94	1.35	-	-	63.86	18.08	14.36	5.46	4.75	34.20	33.82	0.27	-	-	-	
									(正)	39.327	1.93	1.34	-	-	63.97	18.03	14.32	5.44	4.73	34.10	33.71	0.27	-	-	-	
								110m未満	(誤)	39.762	2.01	1.33	-	-	64.28	17.85	15.47	5.38	4.68	33.71	33.34	0.26	-	-	-	
									(正)	39.889	2.02	1.33	-	-	64.37	17.77	15.42	5.36	4.67	33.61	33.24	0.26	-	-	-	
								110m以上 220m未満	(誤)	40.886	2.16	1.29	-	-	65.04	17.64	17.28	5.23	4.55	32.80	32.43	0.26	-	-	-	
									(正)	41.013	2.17	1.29	-	-	65.13	17.58	17.23	5.22	4.54	32.70	32.33	0.26	-	-	-	
								220m以上 340m以下	(誤)	42.061	2.32	1.26	-	-	65.80	19.73	16.80	5.09	4.42	31.88	31.52	0.25	-	-	-	
									(正)	42.188	2.31	1.25	-	-	65.90	19.68	16.75	5.07	4.41	31.79	31.43	0.25	-	-	-	
								延長無し	(誤)	38.641	1.92	1.37	-	-	63.39	18.35	14.57	5.54	4.82	34.69	34.31	0.27	-	-	-	
									(正)	38.767	1.92	1.36	-	-	63.50	18.29	14.52	5.52	4.80	34.58	34.20	0.27	-	-	-	
								110m未満	(誤)	39.202	2.00	1.35	-	-	63.80	18.07	15.69	5.46	4.75	34.20	33.82	0.27	-	-	-	
									(正)	39.328	2.00	1.34	-	-	63.91	18.03	15.64	5.44	4.73	34.09	33.71	0.27	-	-	-	
								110m以上 220m未満	(誤)	40.324	2.15	1.31	-	-	64.61	17.89	17.52	5.31	4.62	33.24	32.88	0.26	-	-	-	
									(正)	40.451	2.15	1.31	-	-	64.71	17.84	17.47	5.29	4.60	33.14	32.78	0.26	-	-	-	
								220m以上 340m以下	(誤)	41.497	2.29	1.27	-	-	65.41	20.01	17.03	5.16	4.48	32.30	31.95	0.25	-	-	-	
									(正)	41.624	2.30	1.27	-	-	65.50	19.94	16.98	5.14	4.47	32.20	31.85	0.25	-	-	-	
								延長無し	(誤)	37.955	1.90	1.39	-	-	62.79	18.68	14.83	5.64	4.90	35.31	34.93	0.28	-	-	-	
									(正)	38.081	1.91	1.39	-	-	62.89	18.60	14.79	5.62	4.89	35.20	34.82	0.28	-	-	-	
								110m未満	(誤)	38.515	1.98	1.37	-	-	63.23	18.41	15.97	5.56	4.83	34.79	34.42	0.27	-	-	-	
									(正)	38.641	1.98	1.37	-	-	63.34	18.35	15.92	5.54	4.82	34.68	34.31	0.27	-	-	-	
								110m以上 220m未満	(誤)	39.634	2.12	1.33	-	-	64.07	18.21	17.83	5.40	4.70	33.81	33.45	0.27	-	-	-	
									(正)	39.761	2.13	1.33	-	-	64.17	18.15	17.77	5.38	4.68	33.70	33.34	0.26	-	-	-	
								220m以上 340m以下	(誤)	40.805	2.27	1.30	-	-	64.89	20.34	17.32	5.24	4.56	32.84	32.49	0.26	-	-	-	
									(正)	40.932	2.27	1.29	-	-	64.99	20.28	17.26	5.23	4.55	32.74	32.39	0.26	-	-	-	
								延長無し	(誤)	37.395	1.88	1.41	-	-	62.30	18.96	15.06	5.72	4.98	35.82	35.45	0.28	-	-	-	
									(正)	37.521	1.89	1.41	-	-	62.41	18.90	15.01	5.70	4.96	35.70	35.33	0.28	-	-	-	
								110m未満	(誤)	37.954	1.96	1.39	-	-	62.74	18.68	16.20	5.64	4.90	35.30	34.93	0.28	-	-	-	
									(正)	38.081	1.97	1.39	-	-	62.84	18.60	16.15	5.62	4.89	35.19	34.82	0.28	-	-	-	
								110m以上 220m未満	(誤)	39.072	2.10	1.35	-	-	63.61	18.48	18.08	5.48	4.76	34.29	33.93	0.27	-	-	-	
									(正)	39.199	2.11	1.35	-	-	63.71	18.39	18.03	5.46	4.75	34.18	33.82	0.27	-	-	-	
								220m以上 340m以下	(誤)	40.241	2.25	1.31	-	-	64.46	20.63	17.56	5.32	4.62	33.29	32.95	0.26	-	-	-	
									(正)	40.368	2.25	1.31	-	-	64.56	20.58	17.50	5.30	4.61	33.19	32.84	0.26	-	-	-	

平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所							修正内容															備考					
		標準単価、 機労材構成比	内空寸法(幅 ×高さ)m	養生工の種類	基礎碎石 の有無	均しコンクリ ートの有無	目地・止水 板の有無	圧送管延長 距離区分	正誤	標準 単価	機労材構成比																		
										K	K1	K2	K3	R	R1	R2	R3	R4	Z	Z1	Z2	Z3	Z4	S					
027	函渠		き2.5以上4.0 未満							有り	延長無し	(誤)	36.817	2.65	1.44	0.37	0.29	58.05	19.26	13.65	4.43	2.58	39.30	36.01	2.34	0.84	-	-	
												(正)	36.817	2.65	1.44	0.37	0.29	58.05	19.26	13.65	4.43	2.58	39.30	36.01	2.34	0.84	-	-	
											110m未満	(誤)	37.377	2.72	1.42	0.36	0.29	58.57	18.97	14.84	4.36	2.54	38.71	35.47	2.30	0.83	-	-	
												(正)	37.377	2.72	1.42	0.36	0.29	58.57	18.97	14.84	4.36	2.54	38.71	35.47	2.30	0.83	-	-	
											110m以上 220m未満	(誤)	38.498	2.85	1.37	0.35	0.28	59.58	18.44	17.10	4.24	2.47	37.57	34.44	2.23	0.80	-	-	
												(正)	38.498	2.85	1.37	0.35	0.28	59.58	18.44	17.10	4.24	2.47	37.57	34.44	2.23	0.80	-	-	
											220m以上 340m以下	(誤)	39.670	2.98	1.33	0.34	0.27	60.55	19.42	17.81	4.11	2.39	36.47	33.42	2.17	0.78	-	-	
												(正)	39.670	2.98	1.33	0.34	0.27	60.55	19.42	17.81	4.11	2.39	36.47	33.42	2.17	0.78	-	-	
											無し	延長無し	(誤)	36.288	2.64	1.46	0.38	0.29	57.50	19.54	13.85	4.50	2.62	39.86	36.54	2.37	0.85	-	-
													(正)	36.288	2.64	1.46	0.38	0.29	57.50	19.54	13.85	4.50	2.62	39.86	36.54	2.37	0.85	-	-
												110m未満	(誤)	36.847	2.71	1.44	0.37	0.29	58.04	19.25	15.05	4.43	2.58	39.25	35.98	2.33	0.84	-	-
													(正)	36.847	2.71	1.44	0.37	0.29	58.04	19.25	15.05	4.43	2.58	39.25	35.98	2.33	0.84	-	-
												110m以上 220m未満	(誤)	37.966	2.84	1.39	0.36	0.28	59.06	18.68	17.34	4.30	2.50	38.10	34.92	2.27	0.81	-	-
													(正)	37.966	2.84	1.39	0.36	0.28	59.06	18.68	17.34	4.30	2.50	38.10	34.92	2.27	0.81	-	-
											220m以上 340m以下	(誤)	39.136	2.96	1.35	0.35	0.27	60.08	19.67	18.06	4.17	2.43	36.96	33.88	2.20	0.79	-	-	
												(正)	39.136	2.96	1.35	0.35	0.27	60.08	19.67	18.06	4.17	2.43	36.96	33.88	2.20	0.79	-	-	
											有り	延長無し	(誤)	35.599	2.63	1.49	0.38	0.30	56.75	19.92	14.12	4.58	2.67	40.62	37.24	2.42	0.87	-	-
													(正)	35.599	2.63	1.49	0.38	0.30	56.75	19.92	14.12	4.58	2.67	40.62	37.24	2.42	0.87	-	-
												110m未満	(誤)	36.157	2.70	1.46	0.38	0.30	57.31	19.61	15.34	4.51	2.63	39.99	36.67	2.38	0.85	-	-
													(正)	36.157	2.70	1.46	0.38	0.30	57.31	19.61	15.34	4.51	2.63	39.99	36.67	2.38	0.85	-	-
												110m以上 220m未満	(誤)	37.273	2.83	1.42	0.37	0.29	58.38	19.01	17.67	4.38	2.55	38.79	35.57	2.31	0.83	-	-
													(正)	37.273	2.83	1.42	0.37	0.29	58.38	19.01	17.67	4.38	2.55	38.79	35.57	2.31	0.83	-	-
												220m以上 340m以下	(誤)	38.441	2.95	1.38	0.35	0.28	59.44	20.03	18.38	4.24	2.47	37.61	34.49	2.24	0.80	-	-
													(正)	38.441	2.95	1.38	0.35	0.28	59.44	20.03	18.38	4.24	2.47	37.61	34.49	2.24	0.80	-	-
										無し		延長無し	(誤)	35.070	2.62	1.51	0.39	0.30	56.16	20.22	14.33	4.65	2.71	41.22	37.81	2.45	0.88	-	-
													(正)	35.070	2.62	1.51	0.39	0.30	56.16	20.22	14.33	4.65	2.71	41.22	37.81	2.45	0.88	-	-
												110m未満	(誤)	35.627	2.69	1.49	0.38	0.30	56.74	19.90	15.56	4.58	2.67	40.57	37.21	2.41	0.87	-	-
													(正)	35.627	2.69	1.49	0.38	0.30	56.74	19.90	15.56	4.58	2.67	40.57	37.21	2.41	0.87	-	-
											110m以上 220m未満	(誤)	36.742	2.80	1.44	0.37	0.29	57.86	19.31	17.92	4.44	2.59	39.34	36.08	2.34	0.84	-	-	
												(正)	36.742	2.80	1.44	0.37	0.29	57.86	19.31	17.92	4.44	2.59	39.34	36.08	2.34	0.84	-	-	
										220m以上 340m以下	(誤)	37.907	2.93	1.40	0.36	0.28	58.94	20.31	18.64	4.30	2.51	38.13	34.98	2.27	0.81	-	-		
											(正)	37.907	2.93	1.40	0.36	0.28	58.94	20.31	18.64	4.30	2.51	38.13	34.98	2.27	0.81	-	-		
										有り	延長無し	(誤)	35.839	2.64	1.48	0.38	0.30	57.02	19.79	14.02	4.55	2.65	40.34	36.99	2.40	0.86	-	-	
												(正)	35.839	2.64	1.48	0.38	0.30	57.02	19.79	14.02	4.55	2.65	40.34	36.99	2.40	0.86	-	-	
											110m未満	(誤)	36.398	2.69	1.45	0.37	0.29	57.58	19.49	15.24	4.48	2.61	39.73	36.43	2.36	0.85	-	-	
												(正)	36.398	2.69	1.45	0.37	0.29	57.58	19.49	15.24	4.48	2.61	39.73	36.43	2.36	0.85	-	-	
											110m以上 220m未満	(誤)	37.515	2.82	1.41	0.36	0.28	58.64	18.92	17.55	4.35	2.53	38.54	35.34	2.29	0.82	-	-	
												(正)	37.515	2.82	1.41	0.36	0.28	58.64	18.92	17.55	4.35	2.53	38.54	35.34	2.29	0.82	-	-	
											220m以上 340m以下	(誤)	38.683	2.96	1.37	0.35	0.28	59.66	19.89	18.27	4.22	2.46	37.38	34.27	2.22	0.80	-	-	
												(正)	38.683	2.96	1.37	0.35	0.28	59.66	19.89	18.27	4.22	2.46	37.38	34.27	2.22	0.80	-	-	
											延長無し	(誤)	35.310	2.63	1.50	0.39	0.30	56.43	20.08	14.23	4.62	2.69	40.94	37.55	2.44	0.87	-	-	
												(正)	35.310	2.63	1.50	0.39	0.30	56.43	20.08	14.23	4.62	2.69	40.94	37.55	2.44	0.87	-	-	
											110m未満	(誤)	35.868	2.70	1.48	0.38	0.30	57.00	19.76	15.46	4.55	2.65	40.30	36.96	2.40	0.86	-	-	
												(正)	35.868	2.70	1.48	0.38	0.30	57.00	19.76	15.46	4.55	2.65	40.30	36.96	2.40	0.86	-	-	



平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所						修正内容																	備考	
		標準単価、 機労材構成比	内空寸法(幅 ×高さ)m	養生工の種類	基礎碎石 の有無	均しコンクリ ートの有無	目地・止水 板の有無	圧送管延長 距離区分	正誤	標準 単価	機労材構成比															
										K	K1	K2	K3	R	R1	R2	R3	R4	Z	Z1	Z2	Z3	Z4	S		
027	函渠			一般養生・特 殊養生(練炭、 ジェット)		無し	無し	延長無し	(誤)	41.217	1.82	1.28	-	-	65.64	18.30	14.58	6.35	5.07	32.54	32.17	0.26	-	-	-	
									(正)	41.355	1.83	1.28	-	-	65.75	18.24	14.53	6.33	5.06	32.42	32.06	0.25	-	-	-	
								110m未満	(誤)	41.779	1.91	1.27	-	-	66.01	18.08	15.62	6.26	5.00	32.08	31.73	0.25	-	-	-	
									(正)	41.916	1.90	1.26	-	-	66.11	18.01	15.57	6.24	4.99	31.99	31.63	0.25	-	-	-	
								110m以上 220m未満	(誤)	42.902	2.05	1.23	-	-	66.71	17.71	17.53	6.10	4.87	31.24	30.90	0.24	-	-	-	
									(正)	43.040	2.05	1.23	-	-	66.81	17.64	17.48	6.08	4.86	31.14	30.80	0.24	-	-	-	
								220m以上 340m以下	(誤)	44.076	2.19	1.20	-	-	67.39	19.70	17.07	5.93	4.74	30.42	30.08	0.24	-	-	-	
									(正)	44.215	2.20	1.20	-	-	67.47	19.62	17.01	5.92	4.73	30.33	29.99	0.24	-	-	-	
								有り	延長無し	(誤)	42.001	1.85	1.26	-	-	66.22	17.96	14.30	6.23	4.98	31.93	31.57	0.25	-	-	-
										(正)	42.138	1.84	1.25	-	-	66.33	17.91	14.26	6.21	4.96	31.83	31.46	0.25	-	-	-
									110m未満	(誤)	42.564	1.92	1.24	-	-	66.57	17.73	15.34	6.15	4.91	31.51	31.15	0.25	-	-	-
										(正)	42.701	1.93	1.24	-	-	66.66	17.66	15.29	6.13	4.90	31.41	31.05	0.25	-	-	-
							110m以上 220m未満		(誤)	43.689	2.07	1.21	-	-	67.23	17.37	17.22	5.99	4.79	30.70	30.35	0.24	-	-	-	
									(正)	43.827	2.07	1.21	-	-	67.33	17.33	17.16	5.97	4.77	30.60	30.25	0.24	-	-	-	
							220m以上 340m以下		(誤)	44.866	2.22	1.18	-	-	67.89	19.36	16.76	5.83	4.66	29.89	29.55	0.23	-	-	-	
									(正)	45.004	2.21	1.17	-	-	67.99	19.30	16.71	5.81	4.65	29.80	29.46	0.23	-	-	-	
							無し		延長無し	(誤)	41.452	1.84	1.28	-	-	65.82	18.21	14.49	6.31	5.04	32.34	31.98	0.25	-	-	-
										(正)	41.590	1.83	1.27	-	-	65.93	18.14	14.45	6.29	5.03	32.24	31.88	0.25	-	-	-
									110m未満	(誤)	42.014	1.91	1.26	-	-	66.17	17.94	15.54	6.23	4.98	31.92	31.56	0.25	-	-	-
										(正)	42.152	1.91	1.25	-	-	66.28	17.90	15.49	6.21	4.96	31.81	31.45	0.25	-	-	-
								110m以上 220m未満	(誤)	43.138	2.06	1.23	-	-	66.87	17.60	17.44	6.06	4.85	31.07	30.73	0.24	-	-	-	
									(正)	43.276	2.06	1.22	-	-	66.95	17.55	17.38	6.04	4.83	30.99	30.64	0.24	-	-	-	
							220m以上 340m以下	(誤)	44.313	2.20	1.19	-	-	67.54	19.59	16.97	5.90	4.72	30.26	29.92	0.24	-	-	-		
								(正)	44.451	2.20	1.19	-	-	67.63	19.54	16.92	5.88	4.70	30.17	29.83	0.24	-	-	-		
				無し	有り	延長無し	(誤)	40.943	1.82	1.29	-	-	65.44	18.44	14.67	6.39	5.11	32.74	32.38	0.26	-	-	-			
							(正)	41.080	1.83	1.29	-	-	65.54	18.37	14.63	6.37	5.09	32.63	32.27	0.26	-	-	-			
						110m未満	(誤)	41.504	1.89	1.27	-	-	65.82	18.19	15.73	6.30	5.04	32.29	31.94	0.25	-	-	-			
							(正)	41.642	1.90	1.27	-	-	65.91	18.12	15.68	6.28	5.02	32.19	31.84	0.25	-	-	-			
						110m以上 220m未満	(誤)	42.627	2.04	1.24	-	-	66.51	17.80	17.65	6.14	4.91	31.45	31.10	0.25	-	-	-			
							(正)	42.764	2.05	1.24	-	-	66.60	17.74	17.59	6.12	4.89	31.35	31.00	0.25	-	-	-			
					220m以上 340m以下	(誤)	43.800	2.19	1.21	-	-	67.20	19.81	17.17	5.97	4.77	30.61	30.27	0.24	-	-	-				
						(正)	43.938	2.18	1.20	-	-	67.31	19.76	17.12	5.95	4.76	30.51	30.17	0.24	-	-	-				
					無し	延長無し	(誤)	40.395	1.81	1.31	-	-	65.01	18.68	14.87	6.48	5.18	33.18	32.82	0.26	-	-	-			
							(正)	40.532	1.81	1.30	-	-	65.12	18.62	14.82	6.45	5.16	33.07	32.71	0.26	-	-	-			
						110m未満	(誤)	40.955	1.88	1.29	-	-	65.39	18.42	15.94	6.39	5.11	32.73	32.37	0.26	-	-	-			
							(正)	41.092	1.89	1.29	-	-	65.49	18.35	15.89	6.37	5.09	32.62	32.26	0.26	-	-	-			
				110m以上 220m未満		(誤)	42.076	2.03	1.26	-	-	66.12	18.04	17.88	6.22	4.97	31.85	31.51	0.25	-	-	-				
						(正)	42.213	2.03	1.25	-	-	66.22	17.98	17.82	6.20	4.95	31.75	31.41	0.25	-	-	-				
				220m以上 340m以下	(誤)	43.247	2.17	1.22	-	-	66.84	20.08	17.39	6.05	4.83	30.99	30.66	0.24	-	-	-					
					(正)	43.385	2.17	1.22	-	-	66.94	20.01	17.34	6.03	4.82	30.89	30.56	0.24	-	-	-					
				有り	延長無し	(誤)	39.167	2.51	1.35	0.35	0.27	60.54	19.27	14.28	4.75	3.03	36.95	33.85	2.20	0.79	-	-				
						(正)	39.167	2.51	1.35	0.35	0.27	60.54	19.27	14.28	4.75	3.03	36.95	33.85	2.20	0.79	-	-				
				110m未満	(誤)	39.728	2.58	1.33	0.34	0.27	61.01	19.02	15.39	4.68	2.99	36.41	33.37	2.16	0.78	-	-					
					(正)	39.728	2.58	1.33	0.34	0.27	61.01	19.02	15.39	4.68	2.99	36.41	33.37	2.16	0.78	-	-					





平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所							修正内容																備考		
		標準単価、 機労材構成比	内空寸法(幅 ×高さ)m	養生工の種類	基礎碎石 の有無	均しコンクリ ートの有無	目地・止水 板の有無	圧送管延長 距離区分	正誤	標準 単価	機労材構成比																
											K	K1	K2	K3	R	R1	R2	R3	R4	Z	Z1	Z2	Z3	Z4		S	
027	函渠		幅:5.5以上7.0 未満かつ高 さ:4.0以上5.5 未満	一般養生・特 殊養生(練炭、 ジェット)	無し	有り	無し	110m以上 220m未満	(誤)	38,362	2.30	1.38	-	-	62.75	17.33	15.45	6.20	4.25	34.95	34.56	0.27	-	-	-	労働安全衛生規則の 一部改正に伴う改定	
									(正)	38,477	2.30	1.37	-	-	62.85	17.28	15.40	6.18	4.24	34.85	34.46	0.27	-	-	-		
								220m以上 340m以下	(誤)	39,537	2.46	1.34	-	-	63.63	19.55	14.99	6.01	4.13	33.91	33.53	0.27	-	-	-		
									(正)	39,652	2.45	1.33	-	-	63.73	19.52	14.94	6.00	4.11	33.82	33.44	0.27	-	-	-		
								延長無し	(誤)	37,413	2.08	1.41	-	-	62.07	15.90	13.53	6.36	4.36	35.85	35.44	0.28	-	-	-		
									(正)	37,527	2.09	1.41	-	-	62.17	15.85	13.49	6.34	4.35	35.74	35.33	0.28	-	-	-		
								110m未満	(誤)	37,976	2.17	1.39	-	-	62.51	15.66	14.70	6.26	4.30	35.32	34.91	0.28	-	-	-		
									(正)	38,091	2.17	1.39	-	-	62.61	15.62	14.66	6.24	4.28	35.22	34.81	0.28	-	-	-		
								110m以上 220m未満	(誤)	39,102	2.32	1.35	-	-	63.37	17.00	15.16	6.08	4.17	34.31	33.91	0.27	-	-	-		
									(正)	39,217	2.33	1.35	-	-	63.46	16.94	15.11	6.06	4.16	34.21	33.81	0.27	-	-	-		
								220m以上 340m以下	(誤)	40,279	2.48	1.31	-	-	64.22	19.22	14.71	5.90	4.05	33.30	32.92	0.26	-	-	-		
									(正)	40,395	2.49	1.31	-	-	64.31	19.15	14.67	5.89	4.04	33.20	32.82	0.26	-	-	-		
								延長無し	(誤)	36,873	2.06	1.43	-	-	61.57	16.14	13.73	6.45	4.42	36.37	35.96	0.29	-	-	-		
									(正)	36,988	2.07	1.43	-	-	61.68	16.08	13.69	6.43	4.41	36.25	35.84	0.28	-	-	-		
								110m未満	(誤)	37,435	2.15	1.41	-	-	62.03	15.90	14.91	6.35	4.36	35.82	35.42	0.28	-	-	-		
									(正)	37,550	2.16	1.41	-	-	62.13	15.84	14.87	6.33	4.34	35.71	35.31	0.28	-	-	-		
								110m以上 220m未満	(誤)	38,560	2.31	1.37	-	-	62.92	17.23	15.37	6.17	4.23	34.77	34.38	0.27	-	-	-		
									(正)	38,675	2.31	1.37	-	-	63.02	17.19	15.32	6.15	4.22	34.67	34.28	0.27	-	-	-		
								220m以上 340m以下	(誤)	39,735	2.46	1.33	-	-	63.80	19.49	14.91	5.98	4.10	33.74	33.37	0.26	-	-	-		
									(正)	39,850	2.47	1.33	-	-	63.88	19.40	14.87	5.97	4.09	33.65	33.27	0.26	-	-	-		
								延長無し	(誤)	36,481	2.06	1.45	-	-	61.19	16.30	13.88	6.52	4.47	36.75	36.34	0.29	-	-	-		
									(正)	36,595	2.06	1.45	-	-	61.30	16.25	13.84	6.50	4.46	36.64	36.23	0.29	-	-	-		
								110m未満	(誤)	37,042	2.14	1.43	-	-	61.67	16.07	15.07	6.42	4.40	36.19	35.79	0.28	-	-	-		
									(正)	37,157	2.14	1.42	-	-	61.78	16.02	15.03	6.40	4.39	36.08	35.68	0.28	-	-	-		
								110m以上 220m未満	(誤)	38,165	2.30	1.39	-	-	62.57	17.40	15.53	6.23	4.27	35.13	34.74	0.28	-	-	-		
									(正)	38,280	2.29	1.38	-	-	62.69	17.38	15.48	6.21	4.26	35.02	34.63	0.28	-	-	-		
								220m以上 340m以下	(誤)	39,339	2.44	1.34	-	-	63.48	19.66	15.06	6.05	4.15	34.08	33.70	0.27	-	-	-		
									(正)	39,454	2.45	1.34	-	-	63.57	19.60	15.02	6.03	4.13	33.98	33.60	0.27	-	-	-		
								延長無し	(誤)	35,941	2.04	1.47	-	-	60.67	16.54	14.09	6.62	4.54	37.29	36.89	0.29	-	-	-		
									(正)	36,056	2.05	1.47	-	-	60.78	16.50	14.04	6.60	4.52	37.17	36.77	0.29	-	-	-		
								110m未満	(誤)	36,502	2.12	1.45	-	-	61.16	16.28	15.30	6.52	4.47	36.72	36.32	0.29	-	-	-		
									(正)	36,616	2.12	1.44	-	-	61.27	16.26	15.25	6.49	4.45	36.61	36.21	0.29	-	-	-		
								110m以上 220m未満	(誤)	37,622	2.28	1.41	-	-	62.09	17.65	15.75	6.32	4.34	35.63	35.24	0.28	-	-	-		
									(正)	37,738	2.27	1.40	-	-	62.21	17.63	15.70	6.30	4.32	35.52	35.13	0.28	-	-	-		
								220m以上 340m以下	(誤)	38,794	2.42	1.36	-	-	63.03	19.93	15.28	6.13	4.20	34.55	34.18	0.27	-	-	-		
									(正)	38,910	2.43	1.36	-	-	63.13	19.88	15.23	6.11	4.19	34.44	34.07	0.27	-	-	-		
								延長無し	(誤)	35,189	2.82	1.50	0.39	0.30	56.06	16.91	13.21	4.64	2.70	41.12	37.68	2.44	0.88	-	-		
									(正)	35,189	2.82	1.50	0.39	0.30	56.06	16.91	13.21	4.64	2.70	41.12	37.68	2.44	0.88	-	-		
								110m未満	(誤)	35,750	2.90	1.48	0.38	0.30	56.62	16.65	14.45	4.56	2.66	40.48	37.09	2.41	0.86	-	-		
									(正)	35,750	2.90	1.48	0.38	0.30	56.62	16.65	14.45	4.56	2.66	40.48	37.09	2.41	0.86	-	-		
								110m以上 220m未満	(誤)	36,873	3.03	1.43	0.37	0.29	57.72	16.91	16.07	4.42	2.58	39.25	35.96	2.33	0.84	-	-		
									(正)	36,873	3.03	1.43	0.37	0.29	57.72	16.91	16.07	4.42	2.58	39.25	35.96	2.33	0.84	-	-		
								220m以上 340m以下	(誤)	38,047	3.17	1.39	0.36	0.28	58.80	19.24	15.58	4.29	2.50	38.03	34.85	2.26	0.81	-	-		
									(正)	38,047	3.17	1.39	0.36	0.28	58.80	19.24	15.58	4.29	2.50	38.03	34.85	2.26	0.81	-	-		









平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所							修正内容														備考							
		標準単価、 機材構成比	内空寸法(幅 ×高さ)m	養生工の種類	基礎砕石 の有無	均しコンクリ ートの有無	目地・止水 板の有無	圧送管延長 距離区分	正誤	標準 単価	機材構成比																			
											K	K1	K2	K3	R	R1	R2	R3	R4	Z	Z1	Z2		Z3	Z4	S				
027	函渠			特別な養生 (仮囲い内 ジェットヒータ)	有り	無し	無し	110m以上 220m未満	(誤)	36.618	2.98	1.44	0.37	0.29	57.51	17.05	16.18	4.45	3.24	39.51	36.21	2.35	0.84	-	-	労働安全衛生規則の 一部改正に伴う改定				
								(正)	36.618	2.98	1.44	0.37	0.29	57.51	17.05	16.18	4.45	3.24	39.51	36.21	2.35	0.84	-	-						
								220m以上 340m以下	(誤)	37.789	3.12	1.40	0.36	0.28	58.60	19.38	15.68	4.32	3.14	38.28	35.08	2.28	0.82	-	-					
								(正)	37.789	3.12	1.40	0.36	0.28	58.60	19.38	15.68	4.32	3.14	38.28	35.08	2.28	0.82	-	-						
								延長無し	(誤)	34.598	2.77	1.53	0.39	0.31	55.42	17.22	13.43	4.71	3.43	41.81	38.32	2.49	0.89	-	-					
								(正)	34.598	2.77	1.53	0.39	0.31	55.42	17.22	13.43	4.71	3.43	41.81	38.32	2.49	0.89	-	-						
							110m未満	(誤)	35.157	2.84	1.50	0.39	0.30	56.02	16.93	14.70	4.64	3.38	41.14	37.71	2.45	0.88	-	-						
							(正)	35.157	2.84	1.50	0.39	0.30	56.02	16.93	14.70	4.64	3.38	41.14	37.71	2.45	0.88	-	-							
							110m以上 220m未満	(誤)	36.277	2.98	1.46	0.38	0.29	57.15	17.17	16.34	4.50	3.28	39.87	36.55	2.37	0.85	-	-						
							(正)	36.277	2.98	1.46	0.38	0.29	57.15	17.17	16.34	4.50	3.28	39.87	36.55	2.37	0.85	-	-							
							220m以上 340m以下	(誤)	37.447	3.10	1.41	0.36	0.29	58.27	19.55	15.83	4.36	3.17	38.63	35.41	2.30	0.82	-	-						
							(正)	37.447	3.10	1.41	0.36	0.29	58.27	19.55	15.83	4.36	3.17	38.63	35.41	2.30	0.82	-	-							
						延長無し	(誤)	34.052	2.76	1.55	0.40	0.31	54.76	17.47	13.65	4.79	3.49	42.48	38.94	2.53	0.91	-	-							
						(正)	34.052	2.76	1.55	0.40	0.31	54.76	17.47	13.65	4.79	3.49	42.48	38.94	2.53	0.91	-	-								
						110m未満	(誤)	34.611	2.83	1.53	0.39	0.31	55.39	17.20	14.93	4.71	3.43	41.78	38.31	2.49	0.89	-	-							
						(正)	34.611	2.83	1.53	0.39	0.31	55.39	17.20	14.93	4.71	3.43	41.78	38.31	2.49	0.89	-	-								
						110m以上 220m未満	(誤)	35.728	2.96	1.48	0.38	0.30	56.57	17.43	16.59	4.57	3.33	40.47	37.11	2.41	0.86	-	-							
						(正)	35.728	2.96	1.48	0.38	0.30	56.57	17.43	16.59	4.57	3.33	40.47	37.11	2.41	0.86	-	-								
						220m以上 340m以下	(誤)	36.895	3.08	1.43	0.37	0.29	57.73	19.85	16.06	4.42	3.22	39.19	35.93	2.33	0.84	-	-							
						(正)	36.895	3.08	1.43	0.37	0.29	57.73	19.85	16.06	4.42	3.22	39.19	35.93	2.33	0.84	-	-								
						延長無し	(誤)	34.775	2.78	1.52	0.39	0.31	55.62	17.10	13.37	4.69	3.42	41.60	38.13	2.47	0.89	-	-							
						(正)	34.775	2.78	1.52	0.39	0.31	55.62	17.10	13.37	4.69	3.42	41.60	38.13	2.47	0.89	-	-								
						110m未満	(誤)	35.335	2.85	1.50	0.39	0.30	56.22	16.86	14.62	4.62	3.36	40.93	37.52	2.43	0.87	-	-							
						(正)	35.335	2.85	1.50	0.39	0.30	56.22	16.86	14.62	4.62	3.36	40.93	37.52	2.43	0.87	-	-								
					110m以上 220m未満	(誤)	36.455	2.97	1.45	0.37	0.29	57.35	17.12	16.26	4.47	3.26	39.68	36.37	2.36	0.85	-	-								
					(正)	36.455	2.97	1.45	0.37	0.29	57.35	17.12	16.26	4.47	3.26	39.68	36.37	2.36	0.85	-	-									
					220m以上 340m以下	(誤)	37.625	3.11	1.41	0.36	0.28	58.44	19.45	15.75	4.34	3.16	38.45	35.24	2.29	0.82	-	-								
					(正)	37.625	3.11	1.41	0.36	0.28	58.44	19.45	15.75	4.34	3.16	38.45	35.24	2.29	0.82	-	-									
					延長無し	(誤)	34.229	2.77	1.55	0.40	0.31	54.99	17.39	13.58	4.77	3.47	42.24	38.73	2.51	0.90	-	-								
					(正)	34.229	2.77	1.55	0.40	0.31	54.99	17.39	13.58	4.77	3.47	42.24	38.73	2.51	0.90	-	-									
					110m未満	(誤)	34.788	2.84	1.52	0.39	0.31	55.59	17.10	14.85	4.69	3.42	41.57	38.11	2.47	0.89	-	-								
					(正)	34.788	2.84	1.52	0.39	0.31	55.59	17.10	14.85	4.69	3.42	41.57	38.11	2.47	0.89	-	-									
					110m以上 220m未満	(誤)	35.906	2.96	1.47	0.38	0.30	56.76	17.37	16.50	4.54	3.31	40.28	36.93	2.40	0.86	-	-								
					(正)	35.906	2.96	1.47	0.38	0.30	56.76	17.37	16.50	4.54	3.31	40.28	36.93	2.40	0.86	-	-									
					220m以上 340m以下	(誤)	37.074	3.10	1.43	0.37	0.29	57.90	19.75	15.98	4.40	3.20	39.00	35.76	2.32	0.83	-	-								
					(正)	37.074	3.10	1.43	0.37	0.29	57.90	19.75	15.98	4.40	3.20	39.00	35.76	2.32	0.83	-	-									
					延長無し	(誤)	33.890	2.76	1.56	0.40	0.32	54.58	17.57	13.71	4.81	3.51	42.66	39.12	2.54	0.91	-	-								
					(正)	33.890	2.76	1.56	0.40	0.32	54.58	17.57	13.71	4.81	3.51	42.66	39.12	2.54	0.91	-	-									
					110m未満	(誤)	34.448	2.83	1.54	0.40	0.31	55.19	17.27	15.00	4.74	3.45	41.98	38.49	2.50	0.90	-	-								
					(正)	34.448	2.83	1.54	0.40	0.31	55.19	17.27	15.00	4.74	3.45	41.98	38.49	2.50	0.90	-	-									
					110m以上 220m未満	(誤)	35.564	2.95	1.49	0.38	0.30	56.39	17.53	16.66	4.59	3.34	40.66	37.28	2.42	0.87	-	-								
					(正)	35.564	2.95	1.49	0.38	0.30	56.39	17.53	16.66	4.59	3.34	40.66	37.28	2.42	0.87	-	-									
					220m以上 340m以下	(誤)	36.731	3.08	1.44	0.37	0.29	57.56	19.94	16.13	4.44	3.23	39.36	36.09	2.34	0.84	-	-								
					(正)	36.731	3.08	1.44	0.37	0.29	57.56	19.94	16.13	4.44	3.23	39.36	36.09	2.34	0.84	-	-									
											無し	延長無し	(誤)	33.890	2.76	1.56	0.40	0.32	54.58	17.57	13.71	4.81	3.51	42.66	39.12		2.54	0.91	-	-
											無し	110m未満	(誤)	34.448	2.83	1.54	0.40	0.31	55.19	17.27	15.00	4.74	3.45	41.98	38.49		2.50	0.90	-	-
											無し	110m以上 220m未満	(誤)	35.564	2.95	1.49	0.38	0.30	56.39	17.53	16.66	4.59	3.34	40.66	37.28		2.42	0.87	-	-
											無し	220m以上 340m以下	(誤)	36.731	3.08	1.44	0.37	0.29	57.56	19.94	16.13	4.44	3.23	39.36	36.09		2.34	0.84	-	-











平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所							修正内容																備考					
		標準単価、 機労材構成比	内空寸法(幅 ×高さ)m	養生工の種類	基礎碎石 の有無	均しコンクリ ートの有無	目地・止水 板の有無	圧送管延長 距離区分	正誤	標準 単価	機労材構成比																			
											K	K1	K2	K3	R	R1	R2	R3	R4	Z	Z1	Z2	Z3	Z4		S				
027	函渠		幅:4.0以上5.5 未満かつ高 さ:5.5以上7.0 以下		無し		無し	無し	延長無し	(誤)	40,084	1.91	1.32	-	-	64.64	17.11	14.05	7.12	4.64	33.45	33.08	0.26	-	-	-				
										(正)	40,214	1.91	1.32	-	-	64.74	17.06	14.00	7.10	4.63	33.35	32.97	0.26	-	-	-				
										(誤)	40,646	1.98	1.30	-	-	65.03	16.89	15.13	7.02	4.58	32.99	32.62	0.26	-	-	-				
										(正)	40,776	1.99	1.30	-	-	65.13	16.84	15.08	7.00	4.56	32.88	32.51	0.26	-	-	-				
										(誤)	41,771	2.14	1.27	-	-	65.76	17.27	16.37	6.83	4.46	32.10	31.74	0.25	-	-	-				
										(正)	41,901	2.14	1.26	-	-	65.86	17.22	16.32	6.81	4.44	32.00	31.64	0.25	-	-	-				
										(誤)	42,946	2.28	1.23	-	-	66.50	19.33	15.92	6.65	4.33	31.22	30.87	0.24	-	-	-				
										(正)	43,077	2.29	1.23	-	-	66.58	19.26	15.87	6.63	4.32	31.13	30.78	0.24	-	-	-				
										有り	延長無し	(誤)	39,862	1.90	1.33	-	-	64.47	17.22	14.12	7.16	4.67	33.63	33.26	0.26	-	-	-		
												(正)	39,991	1.90	1.32	-	-	64.58	17.17	14.08	7.14	4.65	33.52	33.15	0.26	-	-	-		
												(誤)	40,423	1.98	1.31	-	-	64.85	16.98	15.21	7.06	4.60	33.17	32.80	0.26	-	-	-		
												(正)	40,553	1.98	1.30	-	-	64.96	16.93	15.16	7.04	4.59	33.06	32.69	0.26	-	-	-		
												(誤)	41,547	2.12	1.27	-	-	65.61	17.36	16.46	6.87	4.48	32.27	31.91	0.25	-	-	-		
												(正)	41,677	2.13	1.27	-	-	65.70	17.30	16.41	6.85	4.47	32.17	31.81	0.25	-	-	-		
												(誤)	42,722	2.28	1.24	-	-	66.34	19.42	16.01	6.68	4.36	31.38	31.03	0.25	-	-	-		
												(正)	42,853	2.27	1.23	-	-	66.43	19.37	15.96	6.66	4.34	31.30	30.94	0.25	-	-	-		
												無し	延長無し	(誤)	39,305	1.89	1.35	-	-	64.00	17.46	14.32	7.26	4.73	34.11	33.73	0.27	-	-	-
														(正)	39,435	1.89	1.34	-	-	64.11	17.38	14.28	7.24	4.72	34.00	33.62	0.27	-	-	-
														(誤)	39,866	1.97	1.33	-	-	64.41	17.20	15.43	7.16	4.67	33.62	33.26	0.26	-	-	-
														(正)	39,996	1.97	1.32	-	-	64.51	17.15	15.38	7.14	4.65	33.52	33.15	0.26	-	-	-
										(誤)	40,988			2.11	1.29	-	-	65.18	17.61	16.68	6.96	4.54	32.71	32.35	0.26	-	-	-		
										(正)	41,119			2.12	1.29	-	-	65.28	17.54	16.63	6.94	4.53	32.60	32.24	0.26	-	-	-		
										有り	延長無し	(誤)	42,292	2.26	1.25	-	-	66.04	19.62	16.17	6.75	4.40	31.70	31.35	0.25	-	-	-		
												(正)	42,423	2.26	1.25	-	-	66.14	19.57	16.12	6.73	4.39	31.61	31.26	0.25	-	-	-		
												有り	延長無し	(誤)	36,756	2.65	1.44	0.37	0.29	57.99	18.68	13.67	5.06	2.59	39.36	36.07	2.34	0.84	-	-
														(正)	36,756	2.65	1.44	0.37	0.29	57.99	18.68	13.67	5.06	2.59	39.36	36.07	2.34	0.84	-	-
														(誤)	37,316	2.72	1.42	0.36	0.29	58.51	18.39	14.86	4.99	2.55	38.77	35.53	2.30	0.83	-	-
														(正)	37,316	2.72	1.42	0.36	0.29	58.51	18.39	14.86	4.99	2.55	38.77	35.53	2.30	0.83	-	-
														(誤)	38,437	2.85	1.38	0.35	0.28	59.52	17.88	17.13	4.84	2.47	37.63	34.49	2.24	0.80	-	-
														(正)	38,437	2.85	1.38	0.35	0.28	59.52	17.88	17.13	4.84	2.47	37.63	34.49	2.24	0.80	-	-
												無し	延長無し	(誤)	39,608	2.98	1.34	0.34	0.27	60.50	19.45	17.26	4.70	2.40	36.52	33.47	2.17	0.78	-	-
														(正)	39,608	2.98	1.34	0.34	0.27	60.50	19.45	17.26	4.70	2.40	36.52	33.47	2.17	0.78	-	-
														(誤)	36,211	2.65	1.46	0.38	0.30	57.41	18.95	13.88	5.14	2.62	39.94	36.61	2.38	0.85	-	-
														(正)	36,211	2.65	1.46	0.38	0.30	57.41	18.95	13.88	5.14	2.62	39.94	36.61	2.38	0.85	-	-
														(誤)	36,770	2.71	1.44	0.37	0.29	57.95	18.67	15.08	5.06	2.58	39.34	36.06	2.34	0.84	-	-
														(正)	36,770	2.71	1.44	0.37	0.29	57.95	18.67	15.08	5.06	2.58	39.34	36.06	2.34	0.84	-	-
												有り	延長無し	(誤)	37,889	2.84	1.40	0.36	0.28	59.00	18.13	17.38	4.91	2.51	38.16	34.99	2.27	0.81	-	-
														(正)	37,889	2.84	1.40	0.36	0.28	59.00	18.13	17.38	4.91	2.51	38.16	34.99	2.27	0.81	-	-
														(誤)	39,058	2.96	1.35	0.35	0.27	60.02	19.73	17.51	4.76	2.43	37.02	33.94	2.20	0.79	-	-
														(正)	39,058	2.96	1.35	0.35	0.27	60.02	19.73	17.51	4.76	2.43	37.02	33.94	2.20	0.79	-	-
														(誤)	35,986	2.64	1.47	0.38	0.30	57.17	19.06	13.97	5.17	2.64	40.19	36.84	2.39	0.86	-	-
														(正)	35,986	2.64	1.47	0.38	0.30	57.17	19.06	13.97	5.17	2.64	40.19	36.84	2.39	0.86	-	-
												有り	延長無し	(誤)	36,545	2.70	1.45	0.37	0.29	57.74	18.80	15.17	5.09	2.60	39.56	36.28	2.35	0.84	-	-
														(正)	36,545	2.70	1.45	0.37	0.29	57.74	18.80	15.17	5.09	2.60	39.56	36.28	2.35	0.84	-	-

平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所								修正内容															備考			
		標準単価、 機材材構成比	内空寸法(幅 ×高さ)m	養生工の種類	基礎砕石 の有無	均しコンクリ ートの有無	目地・止水 板の有無	圧送管延長 距離区分	正誤	標準 単価	機材材構成比																	
											K	K1	K2	K3	R	R1	R2	R3	R4	Z	Z1	Z2	Z3	Z4		S		
027	函渠			特別な養生 (仮囲い内 ジェットヒータ)		無し	無し	無し		110m以上 220m未満	(誤)	37.663	2.82	1.40	0.36	0.28	58.79	18.25	17.48	4.94	2.52	38.39	35.20	2.28	0.82	-	-	
											(正)	37.663	2.82	1.40	0.36	0.28	58.79	18.25	17.48	4.94	2.52	38.39	35.20	2.28	0.82	-	-	
										220m以上 340m以下	(誤)	38.832	2.95	1.36	0.35	0.27	59.82	19.84	17.61	4.79	2.45	37.23	34.14	2.21	0.79	-	-	
											(正)	38.832	2.95	1.36	0.35	0.27	59.82	19.84	17.61	4.79	2.45	37.23	34.14	2.21	0.79	-	-	
											延長無し	(誤)	35.441	2.62	1.49	0.38	0.30	56.58	19.37	14.18	5.25	2.68	40.80	37.41	2.43	0.87	-	-
											(正)	35.441	2.62	1.49	0.38	0.30	56.58	19.37	14.18	5.25	2.68	40.80	37.41	2.43	0.87	-	-	
											110m未満	(誤)	35.999	2.70	1.47	0.38	0.30	57.14	19.06	15.40	5.17	2.64	40.16	36.83	2.39	0.86	-	-
											(正)	35.999	2.70	1.47	0.38	0.30	57.14	19.06	15.40	5.17	2.64	40.16	36.83	2.39	0.86	-	-	
											110m以上 220m未満	(誤)	37.115	2.83	1.43	0.37	0.29	58.22	18.49	17.74	5.01	2.56	38.95	35.72	2.32	0.83	-	-
											(正)	37.115	2.83	1.43	0.37	0.29	58.22	18.49	17.74	5.01	2.56	38.95	35.72	2.32	0.83	-	-	
											220m以上 340m以下	(誤)	38.281	2.94	1.38	0.36	0.28	59.29	20.11	17.86	4.86	2.48	37.77	34.63	2.25	0.81	-	-
											(正)	38.281	2.94	1.38	0.36	0.28	59.29	20.11	17.86	4.86	2.48	37.77	34.63	2.25	0.81	-	-	
											延長無し	(誤)	36.179	2.65	1.46	0.38	0.30	57.37	18.96	13.89	5.14	2.63	39.98	36.65	2.38	0.85	-	-
											(正)	36.179	2.65	1.46	0.38	0.30	57.37	18.96	13.89	5.14	2.63	39.98	36.65	2.38	0.85	-	-	
											110m未満	(誤)	36.738	2.71	1.44	0.37	0.29	57.92	18.68	15.09	5.07	2.59	39.37	36.09	2.34	0.84	-	-
											(正)	36.738	2.71	1.44	0.37	0.29	57.92	18.68	15.09	5.07	2.59	39.37	36.09	2.34	0.84	-	-	
											110m以上 220m未満	(誤)	37.856	2.84	1.40	0.36	0.28	58.97	18.15	17.39	4.92	2.51	38.19	35.02	2.27	0.81	-	-
											(正)	37.856	2.84	1.40	0.36	0.28	58.97	18.15	17.39	4.92	2.51	38.19	35.02	2.27	0.81	-	-	
											220m以上 340m以下	(誤)	39.026	2.96	1.36	0.35	0.27	59.99	19.75	17.52	4.77	2.43	37.05	33.97	2.20	0.79	-	-
											(正)	39.026	2.96	1.36	0.35	0.27	59.99	19.75	17.52	4.77	2.43	37.05	33.97	2.20	0.79	-	-	
											延長無し	(誤)	35.634	2.62	1.48	0.38	0.30	56.80	19.27	14.10	5.22	2.67	40.58	37.21	2.41	0.87	-	-
											(正)	35.634	2.62	1.48	0.38	0.30	56.80	19.27	14.10	5.22	2.67	40.58	37.21	2.41	0.87	-	-	
											110m未満	(誤)	36.192	2.70	1.46	0.38	0.30	57.35	18.96	15.32	5.14	2.63	39.95	36.63	2.38	0.85	-	-
											(正)	36.192	2.70	1.46	0.38	0.30	57.35	18.96	15.32	5.14	2.63	39.95	36.63	2.38	0.85	-	-	
											110m以上 220m未満	(誤)	37.308	2.83	1.42	0.37	0.29	58.40	18.37	17.65	4.99	2.55	38.77	35.54	2.31	0.83	-	-
											(正)	37.308	2.83	1.42	0.37	0.29	58.40	18.37	17.65	4.99	2.55	38.77	35.54	2.31	0.83	-	-	
											220m以上 340m以下	(誤)	38.476	2.94	1.37	0.35	0.28	59.49	20.02	17.77	4.84	2.47	37.57	34.46	2.23	0.80	-	-
											(正)	38.476	2.94	1.37	0.35	0.28	59.49	20.02	17.77	4.84	2.47	37.57	34.46	2.23	0.80	-	-	
											延長無し	(誤)	35.409	2.61	1.49	0.38	0.30	56.56	19.41	14.19	5.26	2.68	40.83	37.44	2.43	0.87	-	-
											(正)	35.409	2.61	1.49	0.38	0.30	56.56	19.41	14.19	5.26	2.68	40.83	37.44	2.43	0.87	-	-	
											110m未満	(誤)	35.967	2.69	1.47	0.38	0.30	57.12	19.10	15.42	5.17	2.64	40.19	36.86	2.39	0.86	-	-
											(正)	35.967	2.69	1.47	0.38	0.30	57.12	19.10	15.42	5.17	2.64	40.19	36.86	2.39	0.86	-	-	
											110m以上 220m未満	(誤)	37.083	2.82	1.43	0.37	0.29	58.20	18.51	17.76	5.02	2.56	38.98	35.75	2.32	0.83	-	-
											(正)	37.083	2.82	1.43	0.37	0.29	58.20	18.51	17.76	5.02	2.56	38.98	35.75	2.32	0.83	-	-	
											220m以上 340m以下	(誤)	38.249	2.94	1.38	0.36	0.28	59.26	20.12	17.88	4.87	2.48	37.80	34.66	2.25	0.81	-	-
											(正)	38.249	2.94	1.38	0.36	0.28	59.26	20.12	17.88	4.87	2.48	37.80	34.66	2.25	0.81	-	-	
											延長無し	(誤)	34.864	2.62	1.52	0.39	0.31	55.92	19.68	14.41	5.34	2.73	41.46	38.03	2.47	0.88	-	-
											(正)	34.864	2.62	1.52	0.39	0.31	55.92	19.68	14.41	5.34	2.73	41.46	38.03	2.47	0.88	-	-	
											110m未満	(誤)	35.421	2.67	1.49	0.38	0.30	56.52	19.39	15.66	5.25	2.68	40.81	37.43	2.43	0.87	-	-
											(正)	35.421	2.67	1.49	0.38	0.30	56.52	19.39	15.66	5.25	2.68	40.81	37.43	2.43	0.87	-	-	
											110m以上 220m未満	(誤)	36.535	2.80	1.45	0.37	0.29	57.65	18.81	18.02	5.09	2.60	39.55	36.29	2.35	0.84	-	-
											(正)	36.535	2.80	1.45	0.37	0.29	57.65	18.81	18.02	5.09	2.60	39.55	36.29	2.35	0.84	-	-	
											220m以上 340m以下	(誤)	37.699	2.91	1.40	0.36	0.28	58.75	20.43	18.14	4.94	2.52	38.34	35.17	2.28	0.82	-	-
											(正)	37.699	2.91	1.40	0.36	0.28	58.75	20.43	18.14	4.94	2.52	38.34	35.17	2.28	0.82	-	-	

平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所							修正内容																	備考					
		標準単価、 機材構成比	内空寸法(幅 ×高さ)m	養生の種類	基礎碎石 の有無	均しコンクリ ートの有無	目地・止水 板の有無	圧送管延長 距離区分	正誤	標準 単価	機材構成比																				
										K	K1	K2	K3	R	R1	R2	R3	R4	Z	Z1	Z2	Z3	Z4	S							
027	函渠								有り		延長無し	(誤)	36.457	2.23	1.45	-	-	60.96	13.83	12.85	6.52	4.47	36.81	36.37	0.29	-	-	-	労働安全衛生規則の 一部改正に伴う改定		
											延長無し	(正)	36.562	2.24	1.45	-	-	61.05	13.78	12.81	6.50	4.46	36.71	36.26	0.29	-	-	-			
											110m未満	(誤)	37.021	2.32	1.43	-	-	61.44	14.14	13.54	6.42	4.41	36.24	35.81	0.28	-	-	-			
												(正)	37.127	2.32	1.42	-	-	61.54	14.09	13.51	6.41	4.39	36.14	35.71	0.28	-	-	-			
											110m以上 220m未満	(誤)	38.151	2.49	1.39	-	-	62.33	16.42	13.14	6.23	4.28	35.18	34.75	0.28	-	-	-			
												(正)	38.257	2.49	1.38	-	-	62.42	16.37	13.11	6.22	4.26	35.09	34.66	0.28	-	-	-			
											220m以上 340m以下	(誤)	39.332	2.65	1.34	-	-	63.23	18.69	12.75	6.05	4.15	34.12	33.71	0.27	-	-	-			
												(正)	39.439	2.66	1.34	-	-	63.31	18.64	12.71	6.03	4.14	34.03	33.62	0.27	-	-	-			
											無し	延長無し	(誤)	35.914	2.21	1.47	-	-	60.43	14.02	13.05	6.62	4.54	37.36	36.92	0.29	-	-		-	
												延長無し	(正)	36.020	2.22	1.47	-	-	60.53	13.98	13.01	6.60	4.53	37.25	36.81	0.29	-	-		-	
												110m未満	(誤)	36.478	2.30	1.45	-	-	60.92	14.33	13.75	6.52	4.47	36.78	36.35	0.29	-	-		-	
													(正)	36.584	2.31	1.45	-	-	61.02	14.29	13.71	6.50	4.46	36.67	36.24	0.29	-	-		-	
												110m以上 220m未満	(誤)	37.606	2.47	1.41	-	-	61.85	16.65	13.33	6.32	4.34	35.68	35.26	0.28	-	-		-	
													(正)	37.712	2.47	1.40	-	-	61.95	16.60	13.30	6.31	4.33	35.58	35.16	0.28	-	-		-	
												220m以上 340m以下	(誤)	38.785	2.62	1.36	-	-	62.80	18.97	12.93	6.13	4.21	34.58	34.18	0.27	-	-		-	
													(正)	38.891	2.63	1.36	-	-	62.87	18.92	12.89	6.11	4.19	34.50	34.09	0.27	-	-		-	
												有り	延長無し	(誤)	35.583	2.20	1.49	-	-	60.10	14.16	13.17	6.68	4.58	37.70	37.26	0.30	-		-	-
													延長無し	(正)	35.688	2.20	1.48	-	-	60.21	14.11	13.13	6.66	4.57	37.59	37.15	0.30	-		-	-
											110m未満		(誤)	36.146	2.28	1.46	-	-	60.61	14.47	13.87	6.58	4.51	37.11	36.68	0.29	-	-		-	
													(正)	36.252	2.29	1.46	-	-	60.71	14.42	13.83	6.56	4.50	37.00	36.57	0.29	-	-		-	
											110m以上 220m未満		(誤)	37.273	2.45	1.42	-	-	61.57	16.82	13.45	6.38	4.38	35.98	35.57	0.28	-	-		-	
													(正)	37.379	2.46	1.42	-	-	61.65	16.76	13.41	6.36	4.36	35.89	35.47	0.28	-	-		-	
											220m以上 340m以下		(誤)	38.450	2.62	1.38	-	-	62.50	19.13	13.04	6.18	4.24	34.88	34.48	0.27	-	-		-	
													(正)	38.557	2.61	1.37	-	-	62.60	19.08	13.00	6.17	4.23	34.79	34.39	0.27	-	-		-	
											無し		延長無し	(誤)	35.041	2.18	1.51	-	-	59.55	14.37	13.37	6.79	4.66	38.27	37.84	0.30	-		-	-
													延長無し	(正)	35.146	2.19	1.51	-	-	59.66	14.32	13.33	6.77	4.64	38.15	37.72	0.30	-		-	-
												110m未満	(誤)	35.603	2.27	1.49	-	-	60.06	14.68	14.08	6.68	4.58	37.67	37.24	0.30	-	-		-	
													(正)	35.708	2.27	1.48	-	-	60.17	14.63	14.04	6.66	4.57	37.56	37.13	0.30	-	-		-	
												110m以上 220m未満	(誤)	36.727	2.43	1.44	-	-	61.05	17.05	13.65	6.48	4.44	36.52	36.10	0.29	-	-		-	
													(正)	36.833	2.43	1.44	-	-	61.15	16.99	13.61	6.46	4.43	36.42	36.00	0.29	-	-		-	
												220m以上 340m以下	(誤)	37.902	2.59	1.40	-	-	62.03	19.40	13.23	6.27	4.30	35.38	34.98	0.28	-	-		-	
													(正)	38.009	2.59	1.39	-	-	62.13	19.34	13.19	6.26	4.29	35.28	34.88	0.28	-	-		-	
												有り	延長無し	(誤)	35.869	2.21	1.47	-	-	60.40	14.05	13.06	6.63	4.55	37.39	36.96	0.29	-		-	-
													延長無し	(正)	35.975	2.21	1.47	-	-	60.50	14.02	13.02	6.61	4.53	37.29	36.85	0.29	-		-	-
											110m未満		(誤)	36.433	2.30	1.45	-	-	60.88	14.34	13.76	6.53	4.48	36.82	36.39	0.29	-	-		-	
													(正)	36.539	2.30	1.45	-	-	60.98	14.31	13.72	6.51	4.46	36.72	36.29	0.29	-	-		-	
											110m以上 220m未満		(誤)	37.560	2.46	1.41	-	-	61.82	16.68	13.35	6.33	4.34	35.72	35.30	0.28	-	-		-	
													(正)	37.666	2.46	1.40	-	-	61.92	16.65	13.31	6.31	4.33	35.62	35.20	0.28	-	-		-	
											220m以上 340m以下		(誤)	38.739	2.63	1.37	-	-	62.75	18.99	12.94	6.14	4.21	34.62	34.22	0.27	-	-		-	
													(正)	38.846	2.63	1.36	-	-	62.83	18.92	12.91	6.12	4.20	34.54	34.13	0.27	-	-		-	
											無し		延長無し	(誤)	35.327	2.19	1.50	-	-	59.84	14.25	13.26	6.73	4.62	37.97	37.53	0.30	-		-	-
													延長無し	(正)	35.432	2.19	1.49	-	-	59.95	14.22	13.22	6.71	4.60	37.86	37.42	0.30	-		-	-
											110m未満	(誤)	35.890	2.27	1.47	-	-	60.37	14.58	13.97	6.63	4.55	37.36	36.94	0.29	-	-	-			
												(正)	35.995	2.28	1.47	-	-	60.46	14.52	13.93	6.61	4.53	37.26	36.83	0.29	-	-	-			



平成27年度10月適用 東日本大震災の被災地で適用する施工パッケージ型積算方式標準単価表 修正箇所一覧

平成27年8月10日現在

No.	施工パッケージ名称	修正箇所							修正内容															備考																					
		標準単価、 機労材構成比	内空寸法(幅 ×高さ)m	養生工の種類	基礎碎石 の有無	均しコンクリ ートの有無	目地・止水 板の有無	圧送管延長 距離区分	正誤	標準 単価	機労材構成比																																		
											K	K1	K2	K3	R	R1	R2	R3	R4	Z	Z1	Z2	Z3		Z4	S																			
027	函渠			特別な養生 (仮囲い内 ジェットヒータ)				無し		延長無し	(誤)	32,071	2.94	1.65	0.43	0.33	51.98	15.72	13.31	4.37	3.71	45.08	41.34	2.68	0.96	-	-																		
											(正)	32,071	2.94	1.65	0.43	0.33	51.98	15.72	13.31	4.37	3.71	45.08	41.34	2.68	0.96	-	-																		
										110m未満	(誤)	32,629	3.01	1.62	0.42	0.33	52.67	15.44	14.68	4.29	3.64	44.32	40.63	2.64	0.95	-	-																		
											(正)	32,629	3.01	1.62	0.42	0.33	52.67	15.44	14.68	4.29	3.64	44.32	40.63	2.64	0.95	-	-																		
										110m以上 220m未満	(誤)	33,746	3.14	1.57	0.40	0.32	54.01	17.35	14.86	4.15	3.52	42.85	39.29	2.55	0.91	-	-																		
											(正)	33,746	3.14	1.57	0.40	0.32	54.01	17.35	14.86	4.15	3.52	42.85	39.29	2.55	0.91	-	-																		
										220m以上 340m以下	(誤)	34,914	3.27	1.52	0.39	0.31	55.33	19.90	14.36	4.01	3.40	41.40	37.97	2.46	0.88	-	-																		
											(正)	34,914	3.27	1.52	0.39	0.31	55.33	19.90	14.36	4.01	3.40	41.40	37.97	2.46	0.88	-	-																		
										無し				有り	有り	有り	有り	有り	延長無し	(誤)	32,904	2.97	1.61	0.41	0.33	53.07	15.32	12.98	4.26	3.61	43.96	40.29	2.61	0.94	-	-									
																				(正)	32,904	2.97	1.61	0.41	0.33	53.07	15.32	12.98	4.26	3.61	43.96	40.29	2.61	0.94	-	-									
																			110m未満	(誤)	33,464	3.04	1.58	0.41	0.32	53.73	15.05	14.31	4.19	3.55	43.23	39.62	2.57	0.92	-	-									
																				(正)	33,464	3.04	1.58	0.41	0.32	53.73	15.05	14.31	4.19	3.55	43.23	39.62	2.57	0.92	-	-									
																			110m以上 220m未満	(誤)	34,585	3.17	1.53	0.39	0.31	55.00	16.92	14.50	4.05	3.44	41.83	38.34	2.49	0.89	-	-									
																				(正)	34,585	3.17	1.53	0.39	0.31	55.00	16.92	14.50	4.05	3.44	41.83	38.34	2.49	0.89	-	-									
																			220m以上 340m以下	(誤)	35,757	3.31	1.48	0.38	0.30	56.23	19.42	14.02	3.92	3.32	40.46	37.08	2.41	0.86	-	-									
																				(正)	35,757	3.31	1.48	0.38	0.30	56.23	19.42	14.02	3.92	3.32	40.46	37.08	2.41	0.86	-	-									
																			無し				有り	無し	有り	無し	無し	延長無し	(誤)	32,362	2.95	1.64	0.42	0.33	52.36	15.57	13.19	4.33	3.67	44.69	40.97	2.66	0.95	-	-
																													(正)	32,362	2.95	1.64	0.42	0.33	52.36	15.57	13.19	4.33	3.67	44.69	40.97	2.66	0.95	-	-
																												110m未満	(誤)	32,921	3.02	1.61	0.41	0.33	53.05	15.30	14.55	4.26	3.61	43.93	40.27	2.61	0.94	-	-
																													(正)	32,921	3.02	1.61	0.41	0.33	53.05	15.30	14.55	4.26	3.61	43.93	40.27	2.61	0.94	-	-
														110m以上 220m未満	(誤)	34,039	3.14	1.55										0.40	0.31	54.37	17.21	14.73	4.12	3.49	42.49	38.95	2.53	0.91	-	-					
															(正)	34,039	3.14	1.55										0.40	0.31	54.37	17.21	14.73	4.12	3.49	42.49	38.95	2.53	0.91	-	-					
														220m以上 340m以下	(誤)	35,208	3.28	1.50	0.39	0.30	55.64	19.72	14.24	3.98	3.37	41.08	37.66	2.44	0.88	-	-														
															(正)	35,208	3.28	1.50	0.39	0.30	55.64	19.72	14.24	3.98	3.37	41.08	37.66	2.44	0.88	-	-														
				無し				無し	無し					有り	無し	無し	延長無し	(誤)	32,031	2.94	1.65	0.43	0.33	51.92	15.73	13.33	4.38	3.71	45.14	41.39	2.69	0.96	-	-											
																		(正)	32,031	2.94	1.65	0.43	0.33	51.92	15.73	13.33	4.38	3.71	45.14	41.39	2.69	0.96	-	-											
																	110m未満	(誤)	32,590	3.00	1.62	0.42	0.33	52.63	15.46	14.70	4.30	3.65	44.37	40.68	2.64	0.95	-	-											
																		(正)	32,590	3.00	1.62	0.42	0.33	52.63	15.46	14.70	4.30	3.65	44.37	40.68	2.64	0.95	-	-											
																	110m以上 220m未満	(誤)	33,706	3.13	1.57	0.40	0.32	53.97	17.36	14.88	4.16	3.53	42.90	39.33	2.55	0.92	-	-											
																		(正)	33,706	3.13	1.57	0.40	0.32	53.97	17.36	14.88	4.16	3.53	42.90	39.33	2.55	0.92	-	-											
																	220m以上 340m以下	(誤)	34,874	3.27	1.52	0.39	0.31	55.27	19.89	14.38	4.02	3.41	41.46	38.02	2.47	0.88	-	-											
																		(正)	34,874	3.27	1.52	0.39	0.31	55.27	19.89	14.38	4.02	3.41	41.46	38.02	2.47	0.88	-	-											
										無し							無し	無し	無し	無し	無し	延長無し	(誤)	31,489	2.92	1.68	0.43	0.34	51.17	16.00	13.56	4.45	3.77	45.91	42.11	2.73	0.98	-	-						
																							(正)	31,489	2.92	1.68	0.43	0.34	51.17	16.00	13.56	4.45	3.77	45.91	42.11	2.73	0.98	-	-						
																						110m未満	(誤)	32,046	2.98	1.65	0.43	0.33	51.92	15.73	14.95	4.37	3.71	45.10	41.37	2.68	0.96	-	-						
																							(正)	32,046	2.98	1.65	0.43	0.33	51.92	15.73	14.95	4.37	3.71	45.10	41.37	2.68	0.96	-	-						
				110m以上 220m未満	(誤)	33,160	3.11	1.60	0.41					0.32	53.30	17.65						15.12	4.23	3.58	43.59	39.98	2.59	0.93	-	-															
					(正)	33,160	3.11	1.60	0.41					0.32	53.30	17.65						15.12	4.23	3.58	43.59	39.98	2.59	0.93	-	-															
				220m以上 340m以下	(誤)	34,326	3.23	1.54	0.40	0.31	54.65	20.22	14.61	4.08	3.46	42.12	38.63	2.51	0.90	-	-																								
					(正)	34,326	3.23	1.54	0.40	0.31	54.65	20.22	14.61	4.08	3.46	42.12	38.63	2.51	0.90	-	-																								